

Section	Section	Indication	ICD10 code
<b>Chapter 1: Dental and oral conditions</b>			
1.1.1	<b>Dental abscess</b>	<b>Dental abscess - child &lt; 35 kg</b>	<b>K04.7</b>
1.1.1	Dental abscess	Dental abscess - child < 35 kg	K04.7
1.1.1	<b>Dental abscess</b>	<b>Dental abscess - adult</b>	<b>K04.7</b>
1.1.1	Dental abscess	Dental abscess - adult	K04.7
1.4	Herpes simplex infections of the mouth and lip	Extensive oral herpes - Children	B00.1-2
1.4	Herpes simplex infections of the mouth and lip	Extensive oral herpes - Children	B00.1-2
1.4	Herpes simplex infections of the mouth and lip	Extensive oral herpes - Children	B00.1-2
<b>Chapter 2: Gastro-intestinal conditions</b>			
2.2	<b>Dyspepsia, heartburn and indigestion - adults</b>	<b>Dyspepsia, heartburn and indigestion - adults</b>	<b>K30/R12</b>
2.2	Dyspepsia, heartburn and indigestion - adults	Dyspepsia, heartburn and indigestion - adults	K30/R12
2.2	Dyspepsia, heartburn and indigestion - adults	Dyspepsia, heartburn and indigestion - adults	K30/R12
2.2	Dyspepsia, heartburn and indigestion - adults	Dyspepsia, heartburn and indigestion - adults	K30/R12
<b>Chapter 4: Cardiovascular conditions</b>			
4.1	<b>Prevention of IHD and atherosclerosis</b>	<b>Prevention of IHD and atherosclerosis</b>	<b>I20-I25</b>
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	<b>Prevention of IHD and atherosclerosis</b>	<b>Prevention of IHD and atherosclerosis</b>	<b>I20-I25</b>
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	<b>Prevention of IHD and atherosclerosis</b>	<b>Prevention of IHD and atherosclerosis</b>	<b>I20-I25</b>
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	<b>Prevention of IHD and atherosclerosis</b>	<b>Prevention of IHD and atherosclerosis</b>	<b>I20-I25</b>
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.1	Prevention of IHD and atherosclerosis	Prevention of IHD and atherosclerosis	I20-I25
4.2	<b>Angina pectoris, stable</b>	<b>Long-term prophylaxis for thrombotic events</b>	<b>I20.0-I/120.8-9</b>
4.2	Angina pectoris, stable	Long-term prophylaxis for thrombotic events	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Long-term prophylaxis for thrombotic events	I20.0-I/120.8-9
4.2	<b>Angina pectoris, stable</b>	<b>Angina relief</b>	<b>I20.0-I/120.8-9</b>
4.2	Angina pectoris, stable	Angina relief	I20.0-I/120.8-9
4.2	<b>Angina pectoris, stable</b>	<b>Step 1</b>	<b>I20.0-I/120.8-9</b>
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 1	I20.0-I/120.8-9
4.2	<b>Angina pectoris, stable</b>	<b>Step 2</b>	<b>I20.0-I/120.8-9</b>
4.2	Angina pectoris, stable	Step 2	I20.0-I/120.8-9
4.2	Angina pectoris, stable	Step 2	I20.0-I/120.8-9





4.7.1	Hypertension in adults	Hypertension in adults- step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults- step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults- step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults- step 3	I10
<b>4.7.1</b>	<b>Hypertension in adults</b>	<b>Hypertension in adults - step 3</b>	<b>I10</b>
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 3	I10
<b>4.7.1</b>	<b>Hypertension in adults</b>	<b>Hypertension in adults - step 3</b>	<b>I10</b>
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
<b>4.7.1</b>	<b>Hypertension in adults</b>	<b>Hypertension in adults - step 5</b>	<b>I10</b>
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
4.7.1	Hypertension in adults	Hypertension in adults - step 5	I10
<b>4.9</b>	<b>Rheumatic fever, acute -child &lt;18 kg</b>	<b>Rheumatic fever, acute: TREA</b>	<b>I00/I01.0-2/I01.8-9</b>
4.9	Rheumatic fever, acute -child <18 kg	Rheumatic fever, acute: TREATM	I00/I01.0-2/I01.8-9
4.9	Rheumatic fever, acute -child <18 kg	Rheumatic fever, acute: TREATM	I00/I01.0-2/I01.8-9
4.9	Rheumatic fever, acute -child <18 kg	Rheumatic fever, acute: TREATM	I00/I01.0-2/I01.8-9
<b>4.9</b>	<b>Rheumatic fever, acute -child &lt;18 kg</b>	<b>Rheumatic fever, acute: PROP</b>	<b>I00/I01.0-2/I01.8-9</b>
4.9	Rheumatic fever, acute -child <18 kg	Rheumatic fever, acute: PROPH	I00/I01.0-2/I01.8-9
<b>4.9</b>	<b>Rheumatic fever, acute -child &lt;18 kg</b>	<b>Rheumatic fever, acute: PROP</b>	<b>I00/I01.0-2/I01.8-9</b>
4.9	Rheumatic fever, acute -child <18 kg	Rheumatic fever, acute: PROPH	I00/I01.0-2/I01.8-9
<b>Chapter 5: Skin conditions</b>			
<b>5.4.1</b>	<b>Boil, abscess</b>	<b>Boil, abscess - children</b>	<b>L02.0-4/L02.8-9/H</b>
5.4.1	Boil, abscess	Boil, abscess - children	L02.0-4/L02.8-9/H
<b>5.4.1</b>	<b>Boil, abscess</b>	<b>Boil, abscess - adults</b>	<b>L02.0-4/L02.8-9/H</b>
5.4.1	Boil, abscess	Boil, abscess - adults	L02.0-4/L02.8-9/H
<b>5.4.2</b>	<b>Impetigo</b>	<b>Impetigo</b>	<b>L01.0-1</b>
5.4.2	Impetigo	Impetigo	L01.0-1
<b>5.4.2</b>	<b>Impetigo</b>	<b>Impetigo</b>	<b>L01.0-1</b>
5.4.2	Impetigo	Impetigo	L01.0-1
<b>5.4.3</b>	<b>Cellulitis</b>	<b>Cellulitis</b>	<b>L03.0-3/L03.8-9</b>
5.4.3	Cellulitis	Cellulitis	L03.0-3/L03.8-9
<b>5.4.3</b>	<b>Cellulitis</b>	<b>Cellulitis</b>	<b>L03.0-3/L03.8-9</b>
5.4.3	Cellulitis	Cellulitis	L03.0-3/L03.8-9
<b>5.5.1</b>	<b>Candidiasis, skin</b>	<b>Candidiasis, skin</b>	<b>B37.2</b>
5.5.1	Candidiasis, skin	Candidiasis, skin	B37.2

5.5.1	Candidiasis, skin	Candidiasis, skin	B37.2
5.5.1	Candidiasis, skin	Candidiasis, skin	B37.2
5.5.1	Candidiasis, skin	Candidiasis, skin	B37.2
<b>5.5.2.1</b>	<b>Ringworm - tinea corporis</b>	<b>Ringworm - tinea corporis</b>	<b>B35.4</b>
5.5.2.1	Ringworm - tinea corporis	Ringworm - tinea corporis	B35.4
5.5.2.1	Ringworm - tinea corporis	Ringworm - tinea corporis	B35.4
5.5.2.1	Ringworm - tinea corporis	Ringworm - tinea corporis	B35.4
5.5.2.1	Ringworm - tinea corporis	Ringworm - tinea corporis	B35.4
<b>5.5.2.2</b>	<b>Athlete's foot - tinea pedis</b>	<b>Athlete's foot - tinea pedis</b>	<b>B35.3</b>
5.5.2.2	Athlete's foot - tinea pedis	Athlete's foot - tinea pedis	B35.3
5.5.2.2	Athlete's foot - tinea pedis	Athlete's foot - tinea pedis	B35.3
5.5.2.2	Athlete's foot - tinea pedis	Athlete's foot - tinea pedis	B35.3
5.5.2.2	Athlete's foot - tinea pedis	Athlete's foot - tinea pedis	B35.3
<b>5.6.2</b>	<b>Paronychia, chronic</b>	<b>Paronychia, chronic</b>	<b>L03.0</b>
5.6.2	Paronychia, chronic	Paronychia, chronic	L03.0
5.6.2	Paronychia, chronic	Paronychia, chronic	L03.0
5.6.2	Paronychia, chronic	Paronychia, chronic	L03.0
5.6.2	Paronychia, chronic	Paronychia, chronic	L03.0
5.6.2	Paronychia, chronic	Paronychia, chronic	L03.0
<b>5.8.1</b>	<b>Eczema, atopic</b>	<b>Eczema, atopic</b>	<b>L20.0/L20.8-9</b>
5.8.1	Eczema, atopic	Eczema, atopic	L20.0/L20.8-9
5.8.1	Eczema, atopic	Eczema, atopic	L20.0/L20.8-9
5.8.1	Eczema, atopic	Eczema, atopic	L20.0/L20.8-9
5.8.1	Eczema, atopic	Eczema, atopic	L20.0/L20.8-9
5.8.1	Eczema, atopic	Eczema, atopic	L20.0/L20.8-9
<b>5.8.2</b>	<b>Eczema, acute, moist or weepig</b>	<b>Eczema, acute, moist or weepig</b>	<b>L20.0/L20.8-9 +(Z</b>
5.8.2	Eczema, acute, moist or weepig	Eczema, acute, moist or weepig	L20.0/L20.8-9 +(Z
<b>5.8.2</b>	<b>Eczema, acute, moist or weepig</b>	<b>Eczema, acute, moist or weepig</b>	<b>L20.0/L20.8-9 +(Z</b>
5.8.2	Eczema, acute, moist or weepig	Eczema, acute, moist or weepig	L20.0/L20.8-9 +(Z
<b>5.8.3</b>	<b>Dermatitis, seborrhoeic</b>	<b>Dermatitis, seborrhoeic - severe</b>	<b>L20.0/L20.8-9</b>
5.8.3	Dermatitis, seborrhoeic	Dermatitis, seborrhoeic - severe	L20.0/L20.8-9
5.8.3	Dermatitis, seborrhoeic	Dermatitis, seborrhoeic - severe	L20.0/L20.8-9
5.8.3	Dermatitis, seborrhoeic	Dermatitis, seborrhoeic - severe	L20.0/L20.8-9
5.8.3	Dermatitis, seborrhoeic	Dermatitis, seborrhoeic - severe	L20.0/L20.8-9
5.8.3	Dermatitis, seborrhoeic	Dermatitis, seborrhoeic - severe	L20.0/L20.8-9
<b>5.9</b>	<b>Nappy rash</b>	<b>Nappy rash</b>	<b>L22</b>
5.9	Nappy rash	Nappy rash	L22
5.9	Nappy rash	Nappy rash	L22
5.9	Nappy rash	Nappy rash	L22
5.9	Nappy rash	Nappy rash	L22
<b>5.13</b>	<b>Herpes Simplex</b>	<b>Extensive herpes, eczema herpeticum</b>	<b>B00.0-4/B00.7-9</b>
5.13	Herpes Simplex	Extensive herpes, eczema herpeticum	B00.0-4/B00.7-9
5.13	Herpes Simplex	Extensive herpes, eczema herpeticum	B00.0-4/B00.7-9
<b>Chapter 6: Obstetrics &amp; gynaecology</b>			
<b>6.7.4</b>	<b>Mastitis</b>	<b>Mastitis</b>	<b>O91.23</b>
6.7.4	Mastitis	Mastitis	O91.23
<b>6.13</b>	<b>Hormone therapy (HT)</b>	<b>Menstruation &gt; 1 year ago</b>	<b>N95.1-2/N95.8-9</b>

6.13	Hormone therapy (HT)	Menstruation > 1 year ago	N95.1-2/N95.8-9
6.13	Hormone therapy (HT)	Menstruation > 1 year ago	N95.1-2/N95.8-9
<b>6.13</b>	<b>Hormone therapy (HT)</b>	<b>Menstruation &gt; 1 year ago</b>	<b>N95.1-2/N95.8-9</b>
6.13	Hormone therapy (HT)	Menstruation > 1 year ago	N95.1-2/N95.8-9
<b>6.13</b>	<b>Hormone therapy (HT)</b>	<b>Menstruation &lt; 1 year ago/pres</b>	<b>N95.1-2/N95.8-9</b>
6.13	Hormone therapy (HT)	Menstruation < 1 year ago/prese	N95.1-2/N95.8-9
<b>Chapter 7: Family planning</b>			
<b>7.2.1</b>	<b>Subdermal implant</b>		<b>Z30.0/Z30.4/Z30.8</b>
7.2.1	Subdermal implant		Z30.0/Z30.4/Z30.8
<b>7.2.2</b>	<b>Levonorgestrel intrauterine device (LNG-IUD)</b>		<b>Z30.0/Z30.4/Z30.8</b>
7.2.2	Levonorgestrel intrauterine device (LNG-IUD)		Z30.0/Z30.4/Z30.8
<b>7.2.3</b>	<b>Injectable</b>		<b>Z30.0/Z30.4</b>
7.2.3	Injectable		Z30.0/Z30.4
<b>7.2.4</b>	<b>Oral</b>		<b>Z30.0/Z30.4</b>
7.2.4	Oral		Z30.0/Z30.4
<b>7.2.4</b>	<b>Oral</b>		<b>Z30.0/Z30.4</b>
7.2.4	Oral		Z30.0/Z30.4
7.2.4	Oral		Z30.0/Z30.4
7.2.4	Oral		Z30.0/Z30.4
<b>7.2.4</b>	<b>Oral</b>		<b>Z30.0/Z30.4</b>
7.2.4	Oral		Z30.0/Z30.4
7.2.4	Oral		Z30.0/Z30.4
7.2.4	Oral		Z30.0/Z30.4
<b>7.5</b>	<b>Breakthrough bleeding with contraceptive</b>	On progestin-only injectables	<b>N92.0/N92.1/N92.2</b>
7.5	Breakthrough bleeding with contraceptive use	On progestin-only injectables	N92.0/N92.1/N92.2
7.5	Breakthrough bleeding with contraceptive use	On progestin-only injectables	N92.0/N92.1/N92.2
7.5	Breakthrough bleeding with contraceptive use	On progestin-only injectables	N92.0/N92.1/N92.2
<b>7.5</b>	<b>Breakthrough bleeding with contraceptive</b>	<b>Bleeding persists on COC (low</b>	<b>N92.0/N92.1/N92.2</b>
<b>Chapter 8: Kidney &amp; urological disorders</b>			
<b>8.1</b>	<b>Chronic Kidney Disease (CKD) - Adults</b>		<b>N18.1-5/N18.9</b>
<b>8.1</b>	<b>Chronic Kidney Disease (CKD) - Adults</b>		<b>N18.1-5/N18.10</b>
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.11
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.12
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.13
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.14
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.15
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.16
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.17
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.18
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.19
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.20
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.21
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.22
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.23
8.1	Chronic Kidney Disease (CKD) - Adults		N18.1-5/N18.24
<b>8.5</b>	<b>Prostatitis</b>	<b>Acute bacterial prostatitis</b>	<b>N41.0/N41.9 + (N41.1-4)</b>
8.5	Prostatitis	Acute bacterial prostatitis	N41.0/N41.9 + (N41.1-4)
<b>Chapter 9: Endocrine conditions</b>			
<b>9.2.2</b>	<b>Type 2 Diabetes mellitus, adults</b>		<b>E11.9</b>
<b>9.2.2</b>	<b>Type 2 Diabetes mellitus, adults</b>		<b>E11.9</b>



14.4.1	<b>Gout, acute</b>		<b>M10.00-09/M10.91</b>
14.4.1	Gout, acute		M10.00-09/M10.91
14.4.1	Gout, acute		M10.00-09/M10.91
14.4.1	<b>Gout, acute</b>		<b>M10.00-09/M10.91</b>
14.4.1	Gout, acute		M10.00-09/M10.91
14.5	<b>Osteoarthritis (Osteoarthritis)</b>		<b>M13.00-19/M13.81</b>
14.5	Osteoarthritis (Osteoarthritis)		M13.00-19/M13.81
14.5	Osteoarthritis (Osteoarthritis)		M13.00-19/M13.81
14.5	<b>Osteoarthritis (Osteoarthritis)</b>	<b>Osteoarthritis (Osteoarthritis)</b>	<b>M13.00-19/M13.81</b>
14.5	Osteoarthritis (Osteoarthritis)	Osteoarthritis (Osteoarthritis) - I	M13.00-19/M13.81
14.5	Osteoarthritis (Osteoarthritis)	Osteoarthritis (Osteoarthritis) - I	M13.00-19/M13.81
14.5	Osteoarthritis (Osteoarthritis)	Osteoarthritis (Osteoarthritis) - I	M13.00-19/M13.81

<b>Chapter 15: Central nervous system conditions</b>			
15.3.2	<b>Epilepsy</b>	<b>Generalised tonic clonic seizure</b>	<b>G40.0-9</b>
15.3.2	Epilepsy	Generalised tonic clonic seizures	G40.0-9
<b>Chapter 16: Mental Health conditions</b>			
16.1.2	<b>Aggressive disruptive behaviour in adults</b>	<b>Acute sedation, oral</b>	<b>R45.1/R45.4-6</b>
16.1.2	Aggressive disruptive behaviour in adults	Acute sedation, oral	R45.1/R45.4-7
16.1.2	Aggressive disruptive behaviour in adults	Acute sedation, oral	R45.1/R45.4-8
16.1.2	<b>Aggressive disruptive behaviour in adults</b>	<b>Acute sedation, IM</b>	<b>R45.1/R45.4-6</b>
16.1.2	Aggressive disruptive behaviour in adults	Acute sedation, IM	R45.1/R45.4-7
16.1.3	<b>Aggressive disruptive behaviour in children</b>	<b>Acute sedation, IM/IV</b>	<b>R45.1/R45.4-8</b>
16.1.3	Aggressive disruptive behaviour in children	Acute sedation, IM/IV	R45.1/R45.4-9
16.3	<b>Anxiety disorders</b>	<b>If fluoxetine poorly tolerated</b>	<b>F40.0-2/F40.8-9/F</b>
16.3	Anxiety disorders	If fluoxetine poorly tolerated	F40.0-2/F40.8-9/F
16.3	Anxiety disorders	If fluoxetine poorly tolerated	F40.0-2/F40.8-9/F
16.3	<b>Anxiety disorders</b>	<b>Severe panic attacks</b>	<b>F40.0-2/F40.8-9/F</b>
16.3	Anxiety disorders	Severe panic attacks	F40.0-2/F40.8-9/F
16.3	Anxiety disorders	Severe panic attacks	F40.0-2/F40.8-9/F
16.4.1	<b>Depressive disorders</b>	<b>If fluoxetine poorly tolerated</b>	<b>F32.0-3/F32.8-9/F</b>
16.4.1	Depressive disorders	If fluoxetine poorly tolerated	F32.0-3/F32.8-9/F
16.4.1	Depressive disorders	If fluoxetine poorly tolerated	F32.0-3/F32.8-9/F33.0-4/F33.8-9/F34.1 + (F10.0-F19.9/R45.0-8/Z65.0-5/Z65.8-9/Z81.0-4/Z81.8)
16.9.1	<b>Substance use disorders</b>	<b>For severe anxiety, irritability &amp;</b>	<b>F10.0-F19.9 + (R4</b>
16.9.1	Substance use disorders	Dependence and withdrawal	F10.2-4
16.9.3	<b>Substance -induced Psychosis</b>	<b>Oral treatment</b>	<b>F10.0-F19.9 + (R4</b>
16.9.3	Substance -induced Psychosis	Oral treatment	F10.0-F19.9 + (R4
16.9.3	Substance -induced Psychosis	Oral treatment	F10.0-F19.9 + (R4
16.9.3	<b>Substance -induced Psychosis</b>	<b>IM treatment</b>	<b>F10.0-F19.9 + (R4</b>
16.9.3	Substance -induced Psychosis	IM treatment	F10.0-F19.9 + (R4
<b>Chapter 17: Respiratory conditions</b>			
17.1.1	<b>Acute asthma and acute exacerbation of chronic asthma</b>	<b>Adults with severe attacks (while awake)</b>	<b>J46/J45.0-1/J45.8</b>
17.1.1	Acute asthma and acute exacerbation of chronic asthma	Adults with severe attacks (while awake)	J46/J45.0-1/J45.8
17.1.1	<b>Acute asthma and acute exacerbation of chronic asthma</b>	<b>Children with mild and moderate attacks</b>	<b>J46/J45.0-1/J45.8</b>
17.1.1	Acute asthma and acute exacerbation of chronic asthma	Children with mild and moderate attacks	J46/J45.0-1/J45.8



17.1.1	<b>Acute asthma and acute exacerbation of chronic asthma</b>	<b>Children with severe attacks (with severe exacerbations)</b>	<b>J46/J45.0-1/J45.8-9</b>
17.1.1	Acute asthma and acute exacerbation of chronic asthma	Children with severe attacks (with severe exacerbations)	J46/J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Mild intermittent asthma</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Mild intermittent asthma	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Mild intermittent asthma	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma (children, adolescents and adults)</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma (children, adolescents and adults)	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma (children, adolescents and adults)	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma (children) - step 1</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma (children) - step 1	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma (children) - step 1	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma (adults) - step 1</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma (adults) - step 1	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma (adults) - step 1	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma (adults) - step 2</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma (adults) - step 2	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma (adults) - step 2	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma - control still in step 1</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma - control still in step 1	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma - control still in step 1	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma - control still in step 2</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma - control still in step 2	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma - control still in step 2	J45.0-1/J45.8-9
17.1.2	<b>Chronic asthma</b>	<b>Persistent asthma - control still in step 3</b>	<b>J45.0-1/J45.8-9</b>
17.1.2	Chronic asthma	Persistent asthma - control still in step 3	J45.0-1/J45.8-9
17.1.2	Chronic asthma	Persistent asthma - control still in step 3	J45.0-1/J45.8-9
17.1.4	<b>Chronic obstructive pulmonary disease (COPD)</b>	<b>Step 1</b>	<b>J44.0-1/J44.8-9/J45.0-1/J45.8-9</b>
17.1.4	Chronic obstructive pulmonary disease (COPD)	Step 1	J44.0-1/J44.8-9/J45.0-1/J45.8-9
17.1.4	Chronic obstructive pulmonary disease (COPD)	Step 1	J44.0-1/J44.8-9/J45.0-1/J45.8-9
17.1.4	<b>Chronic obstructive pulmonary disease (COPD)</b>	<b>If no response - step 2</b>	<b>J44.0-1/J44.8-9/J45.0-1/J45.8-9</b>
17.1.4	Chronic obstructive pulmonary disease (COPD)	If no response - step 2	J44.0-1/J44.8-9/J45.0-1/J45.8-9
17.1.4	Chronic obstructive pulmonary disease (COPD)	If no response - step 2	J44.0-1/J44.8-9/J45.0-1/J45.8-9
17.1.4	<b>Chronic obstructive pulmonary disease (COPD)</b>	<b>If no response - step 2 &amp; spirometry</b>	<b>J44.0-1/J44.8-9/J45.0-1/J45.8-9</b>
17.1.4	Chronic obstructive pulmonary disease (COPD)	If no response - step 2 & spirometry	J44.0-1/J44.8-9/J45.0-1/J45.8-9
17.2.1	<b>Croup (laryngotracheo bronchitis) in children</b>	<b>Children grade 2 or more stridor</b>	<b>J05.0-1</b>
17.2.1	Croup (laryngotracheo bronchitis) in children	Children grade 2 or more stridor	J05.0-1
17.3.4.1	<b>Pneumonia in children</b>	<b>Severe penicillin allergy</b>	<b>J18.0-2/J18-9 + (Z)</b>
17.3.4.1	Pneumonia in children	Severe penicillin allergy	J18.0-2/J18-9 + (Z)
<b>Chapter 18: Eye conditions</b>			
18.1.1	<b>Conjunctivitis, allergic</b>	<b>If no response - step 2 OR recurrent</b>	<b>H10.1</b>
18.1.1	Allergic rhinitis	If no response - step 2 OR recurrent	H10.1
18.1.1	Allergic rhinitis	If no response - step 2 OR recurrent	H10.2
18.1.1	Allergic rhinitis	If no response - step 2 OR recurrent	H10.3
18.1.1	Allergic rhinitis	If no response - step 2 OR recurrent	H10.4
18.1.1	Allergic rhinitis	If no response - step 2 OR recurrent	H10.5
<b>Chapter 19: Ear, nose and throat conditions</b>			
19.1	<b>Allergic rhinitis</b>		<b>J30.0-4</b>
19.1	Allergic rhinitis		J30.0-4
19.1	Allergic rhinitis		J30.0-4
19.1	Allergic rhinitis		J30.0-4
19.1	Allergic rhinitis		J30.0-4
19.1	Allergic rhinitis		J30.0-4

<b>19.1</b>	<b>Allergic rhinitis</b>	<b>Symptoms persist</b>	<b>J30.0-4</b>
19.1	Allergic rhinitis	Symptoms persist	J30.0-4
<b>19.4.1</b>	<b>Otitis externa</b>	<b>Severe penicillin allergy</b>	<b>H60.0/H60.5/H60.</b>
19.4.1	Otitis externa	Severe penicillin allergy	H60.0/H60.5/H60.
<b>19.4.1</b>	<b>Otitis externa</b>	<b>Severe penicillin allergy</b>	<b>H60.0/H60.5/H60.</b>
19.4.1	Otitis externa	Severe penicillin allergy	H60.0/H60.5/H60.
<b>19.4.2</b>	<b>Otitis media, acute</b>	<b>Severe penicillin allergy</b>	<b>H66.9 + (Z88.0)</b>
19.4.2	Otitis media, acute	Severe penicillin allergy	H66.9 + (Z88.0)
<b>19.4.2</b>	<b>Otitis media, acute</b>	<b>Severe penicillin allergy</b>	<b>H66.9 + (Z88.0)</b>
19.4.2	Otitis media, acute	Severe penicillin allergy	H66.9 + (Z88.0)
<b>19.5</b>	<b>Sinusitis, acute, bacterial</b>	<b>Severe penicillin allergy</b>	<b>J01.0-4/J01.8-9 +</b>
19.5	Sinusitis, acute, bacterial	Severe penicillin allergy	J01.0-4/J01.8-9 +
<b>19.5</b>	<b>Sinusitis, acute, bacterial</b>	<b>Severe penicillin allergy</b>	<b>J01.0-4/J01.8-9 +</b>
19.5	Sinusitis, acute, bacterial	Severe penicillin allergy	J01.0-4/J01.8-9 +
<b>19.6</b>	<b>Tonsillitis and pharyngitis</b>	<b>Severe penicillin allergy</b>	<b>J03.0/J03.8-9/J35</b>
19.6	Tonsillitis and pharyngitis	Severe penicillin allergy	J03.0/J03.8-9/J35
<b>19.6</b>	<b>Tonsillitis and pharyngitis</b>	<b>Severe penicillin allergy</b>	<b>J03.0/J03.8-9/J35</b>
19.6	Tonsillitis and pharyngitis	Severe penicillin allergy	J03.0/J03.8-9/J35

<b>Chapter 20: Pain</b>			
<b>20.2</b>	<b>Acute pain</b>	<b>Pain associated with inflamma</b>	<b>R52.0/R52.9</b>
20.2	Acute pain	Pain associated with inflammatic	R52.0/R52.10
20.2	Acute pain	Pain associated with inflammatic	R52.0/R52.11
<b>20.2</b>	<b>Acute pain</b>	<b>Moderate pain - adult</b>	<b>R52.0/R52.15</b>
20.2	Acute pain	Moderate pain - adult	R52.0/R52.16
20.2	Acute pain	Moderate pain - adult	R52.0/R52.17
<b>20.3</b>	<b>Chronic non-cancer pain</b>	<b>Mild pain associated with infla</b>	<b>R52.0/R52.17</b>
20.3	Chronic non-cancer pain	Mild pain associated with inflamr	R52.0/R52.17
20.3	Chronic non-cancer pain	Mild pain associated with inflamr	R52.0/R52.17
<b>20.4</b>	<b>Chronic cancer pain</b>	<b>Adults - step 1</b>	<b>R 52.9</b>
20.4	Chronic cancer pain	Adults - step 1	R 52.9
20.4	Chronic cancer pain	Adults - step 1	R 52.9
<b>Chapter 21: Temergencies and injuries</b>			
<b>21.2.8</b>	<b>Pulmonary oedema, acute</b>	<b>Pulmonary oedema due to a h</b>	<b>J81 + (I10)</b>
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.2.8	Pulmonary oedema, acute	Pulmonary oedema due to a hyp	J81 + (I10)
21.3.1.1	Animal bites	<b>Severe penicillin allergy</b>	<b>S01.0-9/S11.0-2/S</b>
21.3.1.1	Animal bites	Severe penicillin allergy	S01.0-9/S11.0-2/S
21.3.1.1	Animal bites	<b>Severe penicillin allergy</b>	<b>S01.0-9/S11.0-2/S</b>
21.3.1.1	Animal bites	Severe penicillin allergy	S01.0-9/S11.0-2/S
21.3.1.2	Human bites	<b>Severe penicillin allergy</b>	<b>S01.0-9/S11.0-2/S</b>
21.3.1.2	Human bites	Severe penicillin allergy	S01.0-9/S11.0-2/S
21.3.1.2	Human bites	<b>Severe penicillin allergy</b>	<b>S01.0-9/S11.0-2/S</b>
21.3.1.2	Human bites	Severe penicillin allergy	S01.0-9/S11.0-2/S
<b>21.3.8</b>	<b>Sprains and strains</b>		<b>S03.4-5/S13.4-6/S</b>

21.3.8	Sprains and strains		S03.4-5/S13.4-6/S
21.3.8	Sprains and strains		S03.4-5/S13.4-6/S
<b>21.3.6.2</b>	<b>Post exposure prophylaxis: Rape and sexual</b>	<b>STI prophylaxis - children &lt; 45</b>	<b>Z29.8</b>
21.3.6.2	Post exposure prophylaxis: Rape and sexual	STI prophylaxis - children < 45	Z29.8
<b>21.3.6.2</b>	<b>Post exposure prophylaxis: Rape and sexual</b>	<b>STI prophylaxis - children ≥ 45</b>	<b>Z29.8</b>
21.3.6.2	Post exposure prophylaxis: Rape and sexual	STI prophylaxis - children ≥ 45	Z29.8
<b>Chapter 22: Medicines used in palliative care</b>			
<b>22.2.1</b>	<b>Anxiety</b>	<b>If fluoxetine poorly tolerated</b>	<b>F40.0-2/F40.8-9/F</b>
22.2.1	Anxiety	If fluoxetine poorly tolerated	F40.0-2/F40.8-9/F
22.2.1	Anxiety	If fluoxetine poorly tolerated	F40.0-2/F40.8-9/F
<b>22.2.1</b>	<b>Anxiety</b>	<b>For acute anxiety reactions</b>	<b>F40.0-2/F40.8-9/F</b>
22.2.1	Anxiety	For acute anxiety reactions	F40.0-2/F40.8-9/F
22.2.1	Anxiety	For acute anxiety reactions	F40.0-2/F40.8-9/F
<b>22.2.3</b>	<b>Depression</b>	<b>If fluoxetine poorly tolerated</b>	<b>F32-3/F32.8-9/F3</b>
22.2.3	Depression	If fluoxetine poorly tolerated	F32-3/F32.8-9/F3
22.2.3	Depression	If fluoxetine poorly tolerated	F32-3/F32.8-9/F3

Therapeutic class	ATC	INN	strength	unit
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>	
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose	
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>	
Macrolide	J01FA	Clarithromycin	500 mg	
<b>Antiviral (active against herpes simplex)</b>	<b>J05AB</b>	<b>Aciclovir</b>	<b>400 mg</b>	
Antiviral (active against herpes simplex)	J05AB	Famciclovir	250 mg	
Antiviral (active against herpes simplex)	J05AB	Valaciclovir	1000 mg	
<b>PPI</b>	<b>A02BC</b>	<b>Lansoprazole</b>	<b>30 mg</b>	
PPI	A02BC	Omeprazole	20 mg	
PPI	A02BC	Rabeprazole	20 mg	
PPI	A02BC	Pantoprazole	40 mg	
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>10 mg</b>	
HMG CoA reductase inhibitor	C10AA	Atorvastatin	5 mg	
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	2.5 mg	
HMG CoA reductase inhibitor	C10AA	Pravastatin	20 mg	
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>40 mg</b>	
HMG CoA reductase inhibitor	C10AA	Atorvastatin	20 mg	
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	10 mg	
HMG CoA reductase inhibitor	C10AA	Pravastatin	80 mg	
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>10 mg</b>	
HMG CoA reductase inhibitor	C10AA	Atorvastatin	5 mg	
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	2.5 mg	
HMG CoA reductase inhibitor	C10AA	Pravastatin	20 mg	
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>20 mg</b>	
HMG CoA reductase inhibitor	C10AA	Atorvastatin	10 mg	
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	5 mg	
HMG CoA reductase inhibitor	C10AA	Pravastatin	40 mg	
<b>Acetylsalicylic acid</b>	<b>B01AC06</b>	<b>Aspirin</b>	<b>150 mg</b>	
Acetylsalicylic acid	B01AC06	Aspirin	100 mg	
Acetylsalicylic acid	B01AC06	Aspirin	81 mg	
<b>Nitrates, short acting</b>	<b>C01DA</b>	<b>Isosorbide dinitrate</b>	<b>5 mg</b>	
Nitrates, short acting	C01DA	Glyceryl trinitrate	0.5 mg	
<b>Cardio-selective b-blocker</b>	<b>C07AB</b>	<b>Atenolol</b>	<b>50 mg</b>	
<b>Cardio-selective b-blocker</b>	<b>C07AB</b>	<b>Atenolol</b>	<b>100 mg</b>	
Cardio-selective b-blocker	C07AB	Bisoprolol	5 mg	
Cardio-selective b-blocker	C07AB	Bisoprolol	10 mg	
Cardio-selective b-blocker	C07AB	Metoprolol	100 mg	
Cardio-selective b-blocker	C07AB	Metoprolol	200 mg	
Cardio-selective b-blocker	C07AB	Acebutolol	100 mg	
Cardio-selective b-blocker	C07AB	Acebutolol	200 mg	
<b>Calcium channel blocker</b>	<b>C08CA</b>	<b>Amlodipine</b>	<b>5 mg</b>	
Calcium channel blocker	C08CA	Nifedipine	30 mg	
Calcium channel blocker	C08CA	Felodipine	5 mg	

<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>40 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	20 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	10 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	80 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>10 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	2.5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	20 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>20 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	10 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	40 mg
<b>Acetylsalicylic acid</b>	<b>B01AC06</b>	<b>Aspirin</b>	<b>150 mg</b>
Acetylsalicylic acid	B01AC06	Aspirin	100 mg
Acetylsalicylic acid	B01AC06	Aspirin	81 mg
<b>Nitrates, short acting</b>	<b>C01DA</b>	<b>Isosorbide dinitrate</b>	<b>5 mg</b>
Nitrates, short acting	C01DA	Glyceryl trinitrate	0.5 mg
<b>Cardio-selective b-blocker</b>	<b>C07AB</b>	<b>Atenolol</b>	<b>50 mg</b>
Cardio-selective b-blocker	C07AB	Bisoprolol	10 mg
Cardio-selective b-blocker	C07AB	Metoprolol	100 mg
Cardio-selective b-blocker	C07AB	Acebutolol	200 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>40 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	20 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	10 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	80 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>10 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	2.5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	20 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>20 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	10 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	40 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>2.5 mg</b>
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Ramipril	5 mg
ACE-inhibitor	C09AA	Captopril	6.25 mg
ACE-inhibitor	C09AA	Captopril	50 mg
ACE-inhibitor	C09AA	Quinapril	2.5 mg
ACE-inhibitor	C09AA	Quinapril	20 mg
ACE-inhibitor	C09AA	Perindopril	2 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Lisinopril	2.5 mg
ACE-inhibitor	C09AA	Lisinopril	20 mg
ACE-inhibitor	C09AA	Trandolapril	0.5 mg
ACE-inhibitor	C09AA	Trandolapril	4 mg
<b>Acetylsalicylic acid</b>	<b>B01AC</b>	<b>Aspirin</b>	<b>150 mg</b>
Acetylsalicylic acid	B01AC	Aspirin	100 mg
Acetylsalicylic acid	B01AC	Aspirin	81 mg

<b>Nitrates, short acting</b>	<b>C01DA</b>	<b>Isosorbide dinitrate</b>	<b>5 mg</b>
Nitrates, short acting	C01DA	Glyceryl trinitrate	0.05 mg
<b>Acetylsalicylic acid</b>	<b>B01AC</b>	<b>Aspirin</b>	<b>150 mg</b>
Acetylsalicylic acid	B01AC	Aspirin	100 mg
Acetylsalicylic acid	B01AC	Aspirin	81 mg
<b>Cardio-selective b-blocker</b>	<b>C07AB</b>	<b>Atenolol</b>	<b>50 mg</b>
Cardio-selective b-blocker	C07AB	Bisoprolol	10 mg
Cardio-selective b-blocker	C07AB	Metoprolol	100 mg
Cardio-selective b-blocker	C07AB	Acebutolol	200 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>40 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	20 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	10 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	80 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>10 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	2.5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	20 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>20 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	10 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	40 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>2.5 mg</b>
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Ramipril	5 mg
ACE-inhibitor	C09AA	Captopril	6.25 mg
ACE-inhibitor	C09AA	Captopril	50 mg
ACE-inhibitor	C09AA	Quinapril	2.5 mg
ACE-inhibitor	C09AA	Quinapril	20 mg
ACE-inhibitor	C09AA	Perindopril	2 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Lisinopril	2.5 mg
ACE-inhibitor	C09AA	Lisinopril	20 mg
ACE-inhibitor	C09AA	Trandolapril	0.5 mg
ACE-inhibitor	C09AA	Trandolapril	4 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>2.5 mg</b>
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Ramipril	5 mg
ACE-inhibitor	C09AA	Captopril	6.25 mg
ACE-inhibitor	C09AA	Captopril	50 mg
ACE-inhibitor	C09AA	Quinapril	2.5 mg
ACE-inhibitor	C09AA	Quinapril	20 mg
ACE-inhibitor	C09AA	Perindopril	2 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Lisinopril	2.5 mg
ACE-inhibitor	C09AA	Lisinopril	20 mg
ACE-inhibitor	C09AA	Trandolapril	0.5 mg
ACE-inhibitor	C09AA	Trandolapril	4 mg
<b>Calcium channel blocker</b>	<b>C08CA</b>	<b>Amlodipine</b>	<b>5 mg</b>

Calcium channel blocker	C08CA	Felodipine	5 mg
Calcium channel blocker	C08CA	Isradipine	5 mg
Calcium channel blocker	C08CA	Nifedipine	30 mg
Calcium channel blocker	C08CA	Lercanidipine	10 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
ACE-inhibitor	C09AA	Captopril	25 mg
ACE-inhibitor	C09AA	Lisinopril	10 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Quniapril	10 mg
ACE-inhibitor	C09AA	Benazepril	10 mg
ACE-inhibitor	C09AA	Trandolapril	2 mg
ACE-inhibitor	C09AA	Cilazapril	1.25 mg
<b>Calcium channel blocker</b>	<b>C08CA</b>	<b>Amlodipine</b>	<b>10 mg</b>
Calcium channel blocker	C08CA	Felodipine	10 mg
Calcium channel blocker	C08CA	Isradipine	10 mg
Calcium channel blocker	C08CA	Nifedipine	60 mg
Calcium channel blocker	C08CA	Lercanidipine	20 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>20 mg</b>
ACE-inhibitor	C09AA	Captopril	50 mg
ACE-inhibitor	C09AA	Lisinopril	20 mg
ACE-inhibitor	C09AA	Perindopril	8 mg
ACE-inhibitor	C09AA	Ramipril	5 mg
ACE-inhibitor	C09AA	Quniapril	20 mg
ACE-inhibitor	C09AA	Benazepril	20 mg
ACE-inhibitor	C09AA	Trandolapril	4 mg
ACE-inhibitor	C09AA	Cilazapril	2.5 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
Macrolide	J01FA	Azithromycin	500 mg
Macrolide	J01FA	Clarithromycin	250 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>250 mg</b>
Macrolide	J01FA	Clarithromycin	250 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Imidazole</b>	<b>D01AC</b>	<b>Clotrimazole</b>	<b>1 %</b>
Imidazole	D01AC	Miconazole	2 %

Imidazole	D01AC	Econazole	1 %
Imidazole	D01AC	Bifonazole	1 %
Imidazole	D01AC	Ketoconazole	2 %
<b>Imidazole</b>	<b>D01AC</b>	<b>Clotrimazole</b>	<b>1 %</b>
Imidazole	D01AC	Miconazole	2 %
Imidazole	D01AC	Econazole	1 %
Imidazole	D01AC	Ketoconazole	2 %
Imidazole	D01AC	Bifonazole	1 %
<b>Imidazole</b>	<b>D01AC</b>	<b>Clotrimazole</b>	<b>1 %</b>
Imidazole	D01AC	Miconazole	2 %
Imidazole	D01AC	Econazole	1 %
Imidazole	D01AC	Ketoconazole	2 %
Imidazole	D01AC	Bifonazole	1 %
<b>Potent topical corticosteroid</b>	<b>D07AC</b>	<b>Betamethasone</b>	<b>0.1 %</b>
Potent topical corticosteroid	D07AC	Beclometasone	0.025% %
Potent topical corticosteroid	D07AC	Fluocinolone acetonide	0.025% %
Potent topical corticosteroid	D07AC	Mometasone	0.1 %
Potent topical corticosteroid	D07AC	Methylprednisolone acepc	0.1 %
Potent topical corticosteroid	D07AC	Fluticasone	0.05 %
Potent topical corticosteroid	D07AC	Diflucortolone	0.1 %
<b>Potent topical corticosteroid</b>	<b>D07AC</b>	<b>Betamethasone</b>	<b>0.1 %</b>
Potent topical corticosteroid	D07AC	Beclometasone	0.025% %
Potent topical corticosteroid	D07AC	Fluocinolone acetonide	0.025% %
Potent topical corticosteroid	D07AC	Mometasone	0.1 %
Potent topical corticosteroid	D07AC	Methylprednisolone acepc	0.1 %
Potent topical corticosteroid	D07AC	Fluticasone	0.05 %
Potent topical corticosteroid	D07AC	Diflucortolone	0.1 %
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Potent topical corticosteroid</b>	<b>D07AC</b>	<b>Betamethasone</b>	<b>0.1 %</b>
Potent topical corticosteroid	D07AC	Beclometasone	0.025% %
Potent topical corticosteroid	D07AC	Fluocinolone acetonide	0.025% %
Potent topical corticosteroid	D07AC	Mometasone	0.1 %
Potent topical corticosteroid	D07AC	Methylprednisolone acepc	0.1 %
Potent topical corticosteroid	D07AC	Fluticasone	0.05 %
Potent topical corticosteroid	D07AC	Diflucortolone	0.1 %
<b>Imidazole</b>	<b>D01AC</b>	<b>Clotrimazole</b>	<b>1 %</b>
Imidazole	D01AC	Miconazole	2 %
Imidazole	D01AC	Econazole	1 %
Imidazole	D01AC	Ketoconazole	2 %
Imidazole	D01AC	Bifonazole	1 %
<b>Antiviral (active against herpes simplex)</b>	<b>J05AB</b>	<b>Aciclovir</b>	<b>400 mg</b>
Antiviral (active against herpes simplex)	J05AB	Famciclovir	250 mg
Antiviral (active against herpes simplex)	J05AB	Valaciclovir	1000 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Progestogens and estrogens, fixed combinations (low/sta</b>	<b>G03FA</b>	<b>Norethisterone/estrogen</b>	<b>0.5/1 mg</b>



Progestogens and estrogens, fixed combinations (low/standard)	G03FA	Medroxyprogesterone ace	2.5/0.625 mg
Progestogens and estrogens, fixed combinations (low/standard)	G03FA	Medroxyprogesterone ace	1.5/0.3 mg
<b>Progestogens and estrogens, fixed combinations (higher dose)</b>	<b>G03FA</b>	<b>Norethisterone/estrogen</b>	<b>1/2 mg</b>
Progestogens and estrogens, fixed combinations (higher dose)	G03FA	Medroxyprogesterone ace	5/0.625 mg
<b>Progestogens and estrogens, sequential preparations</b>	<b>G03HB</b>	<b>Cyproterone/estrogen</b>	<b>1/2 mg</b>
Progestogens and estrogens, sequential preparations	G03FB	Medroxyprogesterone ace	5/0.625 mg

<b>Progestin-only subdermal implant contraceptive</b>	<b>G03AC</b>	<b>Etonorgestrel</b>	<b>68 mg</b>
Progestin-only subdermal implant contraceptive	G03AC	Levonorgestrel	75 x 2 mg
<b>Progestin-only intrauterine device</b>	<b>G02BA03</b>	<b>Levonorgestrel</b>	<b>52 mg</b>
Progestin-only intrauterine device	G02BA03	Levonorgestrel	16 mg
<b>Progestin-only injectable contraceptive</b>	<b>G03AC</b>	<b>Medroxyprogesterone</b>	<b>150 mg</b>
Progestin-only injectable contraceptive	G03AC	Norethisterone	200 mg
<b>Monophasic-progestin only pills - low VTE risk</b>	<b>G03AC</b>	<b>Levonorgestrel</b>	<b>30 mcg</b>
Monophasic-progestin only pills - low VTE risk	G03AC	Norethisterone	350 mcg
<b>Monophasic preparations: combination of estrogen and progestin</b>	<b>G03AA</b>	<b>Levonorgestrel and ethinylestradiol</b>	<b>150/30 mcg</b>
Monophasic preparations: combination of estrogen and progestin	G03AA	Gestodene and ethinylestradiol	75/30 mcg
Monophasic preparations: combination of estrogen and progestin	G03AA	Desogestrel and ethinylestradiol	150/30 mcg
Monophasic preparations: combination of estrogen and progestin	G03AA	Drospirenone and ethinylestradiol	3/30 mcg
<b>Triphasic preparation: combination of estrogen and progestin</b>	<b>G03AB</b>	<b>Levonorgestrel and ethinylestradiol</b>	<b>mcg</b>
Triphasic preparation: combination of estrogen and progestin	G03AB	Norethisterone and ethinylestradiol	mcg
Triphasic preparation: combination of estrogen and progestin	G03AB	Norgestimate and ethinylestradiol	mcg
Triphasic preparation: combination of estrogen and progestin	G03AB	Gestodene and ethinylestradiol	mcg
<b>Monophasic preparations: combination of estrogen and progestin (35 mcg estrogen)</b>	<b>G03AA</b>	<b>Levonorgestrel and ethinylestradiol</b>	<b>150/30 mcg</b>
Monophasic preparations: combination of estrogen and progestin (35 mcg estrogen)	G03AA	gestodene and ethinylestradiol	75/30 mcg
Monophasic preparations: combination of estrogen and progestin (35 mcg estrogen)	G03AA	desogestrel and ethinylestradiol	150/30 mcg
Monophasic preparations: combination of estrogen and progestin (35 mcg estrogen)	G03AA	drospirenone and ethinylestradiol	3/30 mcg
<b>Monophasic preparations: combination of estrogen (35 mcg) and progestin</b>	<b>G03HB</b>	<b>cyproterone acetate and ethinylestradiol</b>	<b>2/35 mcg</b>

<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>40 mg</b>
ACE-inhibitor	C09AA	Captopril	25 mg
ACE-inhibitor	C09AA	Captopril	150 mg
ACE-inhibitor	C09AA	Lisinopril	20 mg
ACE-inhibitor	C09AA	Lisinopril	40 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Perindopril	8 mg
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Ramipril	20 mg
ACE-inhibitor	C09AA	Quniapril	20 mg
ACE-inhibitor	C09AA	Quniapril	80 mg
ACE-inhibitor	C09AA	Benazepril	20 mg
ACE-inhibitor	C09AA	Benazepril	40 mg
ACE-inhibitor	C09AA	Trandolapril	2 mg
ACE-inhibitor	C09AA	Trandolapril	4 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>1000 mg</b>
Macrolide	J01FA	Clarithromycin	750 mg
<b>Sulfonylureas</b>	<b>A10BB</b>	<b>Glibenclamide</b>	<b>2.5 mg</b>
<b>Sulfonylureas</b>	<b>A10BB</b>	<b>Glibenclamide</b>	<b>15 mg</b>

Sulfonylureas	A10BB	Gliclazide	80 mg
Sulfonylureas	A10BB	Gliclazide	160 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
<b>ACE-inhibitor</b>	C09AA	<b>Enalapril</b>	<b>40 mg</b>
ACE-inhibitor	C09AA	Captopril	25 mg
ACE-inhibitor	C09AA	Captopril	150 mg
ACE-inhibitor	C09AA	Lisinopril	20 mg
ACE-inhibitor	C09AA	Lisinopril	40 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Perindopril	8 mg
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Ramipril	20 mg
ACE-inhibitor	C09AA	Quniapril	20 mg
ACE-inhibitor	C09AA	Quniapril	80 mg
ACE-inhibitor	C09AA	Benazepril	20 mg
ACE-inhibitor	C09AA	Benazepril	40 mg
ACE-inhibitor	C09AA	Trandolapril	2 mg
ACE-inhibitor	C09AA	Trandolapril	4 mg
<b>HMG CoA reductase inhibitor</b>	<b>C10AA</b>	<b>Simvastatin</b>	<b>10 mg</b>
HMG CoA reductase inhibitor	C10AA	Atorvastatin	5 mg
HMG CoA reductase inhibitor	C10AA	Rosuvastatin	2.5 mg
HMG CoA reductase inhibitor	C10AA	Pravastatin	20 mg
<b>Antiviral (active against varicella zoster)</b>	<b>J05AB</b>	<b>Aciclovir</b>	<b>800 mg</b>
Antiviral (active against varicella zoster)	J05AB	Valaciclovir	1000 mg
Antiviral (active against varicella zoster)	J05AB	Famciclovir	250 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Antiviral, (active against herpes zoster)</b>	<b>J05AB</b>	<b>Aciclovir</b>	<b>800 mg</b>
Antiviral, (active against herpes zoster)	J05AB	Valaciclovir	1000 mg
Antiviral, (active against herpes zoster)	J05AB	Famciclovir	250 mg
<b>Antiviral, (active against herpes zoster)</b>	<b>J05AB</b>	<b>Aciclovir</b>	<b>400 mg</b>
Antiviral, (active against herpes zoster)	J05AB	Valaciclovir	500 mg
Antiviral, (active against herpes zoster)	J05AB	Famciclovir	125 mg
<b>Antiviral, (active against herpes zoster)</b>	<b>J05AB</b>	<b>Aciclovir</b>	<b>800 mg</b>
Antiviral, (active against herpes zoster)	J05AB	Valaciclovir	1000 mg
Antiviral, (active against herpes zoster)	J05AB	Famciclovir	250 mg
<b>Antiinflammatory and antirheumatic products, Non-Steroids [N</b>	<b>M01A</b>	<b>Ibuprofen</b>	<b>400 mg</b>
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01A	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01A	Naproxen	500 mg
<b>PPI</b>	<b>A02BC</b>	<b>Lansoprazole</b>	<b>30 mg</b>
PPI	A02BC	Omeprazole	20 mg
PPI	A02BC	Rabeprazole	20 mg
PPI	A02BC	Pantoprazole	40 mg
<b>Corticosteroid - intermediate-acting</b>	<b>H02AB</b>	<b>Prednisone</b>	<b>7.5 mg</b>
Corticosteroid - intermediate-acting	H02AB	Prednisolone	7.5 mg

<b>Antiinflammatory and antirheumatic products, Non-Steroi</b>	<b>M01A</b>	<b>Ibuprofen</b>	<b>400 mg</b>
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01A	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01A	Naproxen	500 mg
<b>Corticosteroid - intermediate-acting</b>	<b>H02AB</b>	<b>Prednisone</b>	<b>40 mg</b>
Corticosteroid - intermediate-acting	H02AB	Prednisolone	40 mg
<b>Antiinflammatory and antirheumatic products, Non-Steroi</b>	<b>M01A</b>	<b>Ibuprofen</b>	<b>400 mg</b>
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01A	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01A	Naproxen	500 mg
<b>PPI</b>	<b>A02BC</b>	<b>Lansoprazole</b>	<b>30 mg</b>
PPI	A02BC	Omeprazole	20 mg
PPI	A02BC	Rabeprazole	20 mg
PPI	A02BC	Pantoprazole	40 mg
<b>Carbamazepine</b>	<b>N03AF</b>	<b>Carbamazepine</b>	<b>300-600 mg</b>
Carbamazepine	N03AF	Carbamazepine	300-600 mg
<b>Benzodiazepine</b>	<b>N05BA</b>	<b>Diazepam</b>	<b>5 mg</b>
Benzodiazepine	N05CD	Midazolam	7.5 to 15 mg
Benzodiazepine	N05BA	Lorazepam	1 to 4 mg
<b>Benzodiazepine (short-acting)</b>	<b>N05CD</b>	<b>Midazolam</b>	<b>7.5 to 15 mg</b>
Benzodiazepine (short-acting)	N05BA	Lorazepam	1 to 4 mg
<b>Benzodiazepine</b>	<b>N05CD</b>	<b>Midazolam</b>	<b>0.1 to 0.15 mg/kg/dose</b>
Benzodiazepine	N05BA	Lorazepam	0.05 to 0.1 mg/kg/dose
<b>SSRI</b>	<b>N06AB</b>	<b>Citalopram</b>	<b>10 to 20 mg</b>
SSRI	N06AB	Escitalopram	5 to 10 mg
SSRI	N06AB	Sertraline	50 to 100 mg
<b>Benzodiazepine</b>	<b>N05BA</b>	<b>Diazepam</b>	<b>2.5 to 5 mg</b>
Benzodiazepine	N05BA	Lorazepam	1 mg
Benzodiazepine	N05BA	Alprazolam	0.5 mg
<b>SSRI</b>	<b>N06AB</b>	<b>Citalopram</b>	<b>10 to 20 mg</b>
SSRI	N06AB	Escitalopram	5 to 10 mg
SSRI	N06AB	Sertraline	50 to 100 mg
<b>Benzodiazepine</b>	<b>N05BA</b>	<b>Diazepam</b>	<b>5 to 10 mg</b>
Benzodiazepine	N05BA	Lorazepam	1 to 4 mg
<b>Benzodiazepine</b>	<b>N05BA</b>	<b>Diazepam</b>	<b>5 mg</b>
Benzodiazepine	N05CD	Midazolam	7.5 to 15 mg
Benzodiazepine	N05BA	Lorazepam	1 to 4 mg
<b>Benzodiazepine (short-acting)</b>	<b>N05CD</b>	<b>Midazolam</b>	<b>7.5 to 15 mg</b>
Benzodiazepine (short-acting)	N05BA	Lorazepam	1 to 4 mg
<b>Corticosteroid - intermediate-acting</b>	<b>H02AB</b>	<b>Prednisone</b>	<b>7.5 mg</b>
Corticosteroid - intermediate-acting	H02AB	Prednisolone	7.5 mg
<b>Corticosteroid - intermediate-acting</b>	<b>H02AB</b>	<b>Prednisone</b>	<b>1 to 2 mg/kg/dose</b>
Corticosteroid - intermediate-acting	H02AB	Prednisolone	1 to 2 mg/kg/dose

<b>Corticosteroid - intermediate-acting</b>	<b>H02AB</b>	<b>Prednisone</b>	<b>1 to 2 mg/kg/dose</b>
Corticosteroid - intermediate-acting	H02AB	Prednisolone	1 to 2 mg/kg/dose
<b>Short acting beta<sub>2</sub> agonist</b>	<b>R03AC</b>	<b>Salbutamol</b>	<b>100 to 200 mcg</b>
Short acting beta <sub>2</sub> agonist	R03AC	Fenoterol	100 to 200 mcg
Short acting beta <sub>2</sub> agonist	R03AC	Terbutaline	0.5 mg
<b>Short acting beta<sub>2</sub> agonist</b>	<b>R03AC</b>	<b>Salbutamol</b>	<b>100 to 200 mcg</b>
Short acting beta <sub>2</sub> agonist	R03AC	Fenoterol	100 to 200 mcg
Short acting beta <sub>2</sub> agonist	R03AC	Terbutaline	0.5 mg
<b>Inhaled corticosteroid</b>	<b>R03BA</b>	<b>Beclometasone</b>	<b>100 mcg</b>
Inhaled corticosteroid	R03BA	Budesonide	100 mcg
Inhaled corticosteroid	R03BA	Fluticasone	50 mcg
<b>Inhaled corticosteroid</b>	<b>R03BA</b>	<b>Beclometasone</b>	<b>200 mcg</b>
Inhaled corticosteroid	R03BA	Budesonide	200 mcg
Inhaled corticosteroid	R03BA	Fluticasone	125 mcg
Inhaled corticosteroid	R03BA	Ciclesonide	80 mcg
<b>Inhaled corticosteroid</b>	<b>R03BA</b>	<b>Beclometasone</b>	<b>200 mcg</b>
Inhaled corticosteroid	R03BA	Budesonide	200 mcg
Inhaled corticosteroid	R03BA	Fluticasone	125 mcg
<b>Inhaled corticosteroid</b>	<b>R03BA</b>	<b>Beclometasone</b>	<b>400 mcg</b>
Inhaled corticosteroid	R03BA	Budesonide	400 mcg
Inhaled corticosteroid	R03BA	Fluticasone	250 mcg
Inhaled corticosteroid	R03BA	Ciclesonide	160 mcg
<b>LABA/Corticosteroid</b>	<b>R03AK</b>	<b>Fluticasone/salmeterol</b>	<b>250/50 mcg</b>
LABA/Corticosteroid	R03AK	Budesonide/formoterol	320/9 mcg
<b>Short acting beta<sub>2</sub> agonist</b>	<b>R03AC</b>	<b>Salbutamol</b>	<b>100 to 200 mcg</b>
Short acting beta <sub>2</sub> agonist	R03AC	Fenoterol	100 to 200 mcg
Short acting beta <sub>2</sub> agonist	R03AC	Terbutaline	0.5 mg
<b>Long acting beta<sub>2</sub> agonist</b>	<b>R03AC</b>	<b>Formoterol</b>	<b>12 mcg</b>
Long acting beta <sub>2</sub> agonist	R03AC	Salmeterol	50 mcg
Long acting beta <sub>2</sub> agonist	R03AC	Indacaterol	150 mcg
<b>LABA/Corticosteroid</b>	<b>R03AK</b>	<b>Fluticasone/salmeterol</b>	<b>250/50 mcg</b>
LABA/Corticosteroid	R03AK	Budesonide/formoterol	320/9 mcg
<b>Corticosteroid - intermediate-acting</b>	<b>H02AB</b>	<b>Prednisone</b>	<b>1 to 2 mg/kg/dose</b>
Corticosteroid - intermediate-acting	H02AB	Prednisolone	1 to 2 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Anti-allergic eye drops</b>	<b>S01GX</b>	<b>Cromoglycate</b>	<b>2 %</b>
Anti-allergic eye drops	S01GX	Iodoxamide	0.01 %
Anti-allergic eye drops	S01GX	olopatadine	0.1 %
Anti-allergic eye drops	S01GX	epinastine	0.05 %
Anti-allergic eye drops	S01GX	ketotifen	0.025 %
Anti-allergic eye drops	S01GX	azelastine	0.05 %
<b>Corticosteroid</b>	<b>R01AD</b>	<b>Fluticasone</b>	<b>100 mcg</b>
Corticosteroid	R01AD	Budesonide	100 mcg
Corticosteroid	R01AD	Beclometasone	100 mcg
Corticosteroid	R01AD	Ciclesonide	100 mcg
Corticosteroid	R01AD	Mometasone	50 mcg
Corticosteroid	R01AD	Triamcinlone	55 mcg

<b>Non-sedating antihistamine</b>	<b>R06AE</b>	<b>Cetirizine</b>	<b>10 mg</b>
Non-sedating antihistamine	R06AX	Fexofenadine	120 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg

<b>Antiinflammatory and antirheumatic products, Non-Steroi</b>	<b>M01AE</b>	<b>Ibuprofen</b>	<b>400 mg</b>
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Naproxen	500 mg
<b>Antiinflammatory and antirheumatic products, Non-Steroi</b>	<b>M01AE</b>	<b>Ibuprofen</b>	<b>400 mg</b>
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Naproxen	500 mg
<b>Antiinflammatory and antirheumatic products, Non-Steroi</b>	<b>M01AE</b>	<b>Ibuprofen</b>	<b>400 mg</b>
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Naproxen	500 mg
<b>ACE-inhibitor</b>	<b>C09AA</b>	<b>Enalapril</b>	<b>10 mg</b>
ACE-inhibitor	C09AA	Captopril	25 mg
ACE-inhibitor	C09AA	Lisinopril	10 mg
ACE-inhibitor	C09AA	Perindopril	4 mg
ACE-inhibitor	C09AA	Ramipril	2.5 mg
ACE-inhibitor	C09AA	Quniapril	10 mg
ACE-inhibitor	C09AA	Benazepril	10 mg
ACE-inhibitor	C09AA	Trandolapril	2 mg
ACE-inhibitor	C09AA	Cilazapril	1.25 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>10 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	7.5 mg/kg/dose
Macrolide	<b>J01FA</b>	<b>Azithromycin</b>	<b>500 mg</b>
Macrolide	J01FA	Clarithromycin	500 mg
<b>Antiinflammatory and antirheumatic products, Non-Steroi</b>	<b>M01AE</b>	<b>Ibuprofen</b>	<b>400 mg</b>

Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Diclofenac	50 mg
Antiinflammatory and antirheumatic products, Non-Steroids [N	M01AE	Naproxen	500 mg
<b>Macrolide</b>	<b>J01FA</b>	<b>Azithromycin</b>	<b>20 mg/kg/dose</b>
Macrolide	J01FA	Clarithromycin	15 mg/kg/dose
Macrolide	<b>J01FA</b>	<b>Azithromycin</b>	<b>1000 mg</b>
Macrolide	J01FA	Clarithromycin	1000 mg
<b>SSRI</b>	<b>N06AB</b>	<b>Citalopram</b>	<b>10 to 20 mg</b>
SSRI	N06AB	Escitalopram	5 to 10 mg
SSRI	N06AB	Sertraline	50 to 100 mg
<b>Benzodiazepine</b>	<b>N05BA</b>	<b>Diazepam</b>	<b>2.5 to 5 mg</b>
Benzodiazepine	N05BA	Lorazepam	1 mg
Benzodiazepine	N05BA	Alprazolam	0.5 mg
<b>SSRI</b>	<b>N06AB</b>	<b>Citalopram</b>	<b>10 to 20 mg</b>
SSRI	N06AB	Escitalopram	5 to 10 mg
SSRI	N06AB	Sertraline	50 to 100 mg

formulation	Dosing interval (times per day)	Course (days)	DDD	unit	ATC	Therapeutic equivalent	Clinical evidence -Therapeutic members
oral		1	3	mg	J01FA10	Y	SAMF, 2016;
oral		2	7	mg	J01FA09	Y	SAMF, 2016;
oral		1	3	500 mg	J01FA10	Y	SAMF, 2016;
oral		2	7	1000 mg	J01FA09	Y	SAMF, 2016;
oral		2	28	800 mg	J05AB01	Y	Le Cleach L, Trinqu
oral		2	28	500 mg	J05AB09	Y	Le Cleach L, Trinqu
oral		1	28	1000 mg	J05AB11	Y	Le Cleach L, Trinqu
oral		1	14	30 mg	A02BC03	Y	McDonagh MS et al
oral		1	14	20 mg	A02BC01	Y	McDonagh MS et al.
oral		1	14	20 mg	A02BC04	Y	McDonagh MS et al.
oral		1	14	40 mg	A02BC02	Y	McDonagh MS et al.
oral		1	30	10 mg	C10AA01	Y	Naci H et al. Dose-c
oral		1	30	5 mg	C10AA05	Y	Naci H et al. Dose-cc
oral		1	30	2.5 mg	C10AA07	Y	Naci H et al. Dose-cc
oral		1	30	20 mg	C10AA03	Y	Naci H et al. Dose-cc
oral		1	30	40 mg	C10AA01	Y	Naci H et al. Dose-c
oral		1	30	20 mg	C10AA05	Y	Naci H et al. Dose-cc
oral		1	30	10 mg	C10AA07	Y	Naci H et al. Dose-cc
oral		1	30	80 mg	C10AA03	Y	Naci H et al. Dose-cc
oral		1	30	10 mg	C10AA01	Y	Naci H et al. Dose-c
oral		1	30	5 mg	C10AA05	Y	Naci H et al. Dose-cc
oral		1	30	2.5 mg	C10AA07	Y	Naci H et al. Dose-cc
oral		1	30	20 mg	C10AA03	Y	Naci H et al. Dose-cc
oral		1	30	20 mg	C10AA01	Y	Naci H et al. Dose-c
oral		1	30	10 mg	C10AA05	Y	Naci H et al. Dose-cc
oral		1	30	5 mg	C10AA07	Y	Naci H et al. Dose-cc
oral		1	30	40 mg	C10AA03	Y	Naci H et al. Dose-cc
oral		1	28	150 mcg	B01AC06	Y	Antithrombotic Tria
oral		1	28	100 mcg	B01AC06	Y	Antithrombotic Trialis
oral		1	28	81 mcg	B01AC06	Y	Antithrombotic Trialis
sublingual	as required			mg	C01DA08	Y	SAMF, 2016
sublingual	as required			mg	C01DA52	Y	SAMF, 2016
oral		1	28	50 mg	C07AB03	Y	SAMF
oral		1	28	100 mg	C07AB03	Y	SAMF
oral		1	28	5 mg	C07AB07	Y	SAMF
oral		1	28	10 mg	C07AB07	Y	SAMF
oral		2	28	100 mg	C07AB02	Y	SAMF
oral		2	28	100 mg	C07AB02	Y	SAMF
oral		2	28	100 mg	C07AB04	Y	SAMF
oral		2	28	200 mg	C07AB04	Y	SAMF
oral		1	28	5 mg	C08CA01	Y	SAMF
oral		1	28	30 mg	C05CA05	Y	SAMF
oral		1	28	5 mg	C05CA05	Y	SAMF

<b>oral</b>	<b>1</b>	<b>28</b>	<b>40 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>Naci H et al. Dose-c</b>
oral	1	28	20 mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	10 mg	C10AA07	Y	Naci H et al. Dose-cc
oral	1	28	80 mg	C10AA03	Y	Naci H et al. Dose-cc
<b>oral</b>	<b>1</b>	<b>28</b>	<b>10 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>Naci H et al. Dose-c</b>
oral	1	28	5 mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	2.5 mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	20 mg	C10AA7	Y	Naci H et al. Dose-cc
<b>oral</b>	<b>1</b>	<b>28</b>	<b>20 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>Naci H et al. Dose-c</b>
oral	1	28	10 mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	5 mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	40 mg	C10AA7	Y	Naci H et al. Dose-cc
<b>oral</b>	<b>1</b>	<b>28</b>	<b>150 mcg</b>	<b>B01AC06</b>	<b>Y</b>	<b>Peters RJ, Mehta SF</b>
oral	1	28	100 mcg	B01AC06	Y	Peters RJ, Mehta SR
oral	1	28	81 mcg	B01AC06	Y	Peters RJ, Mehta SR
<b>sublingual</b>	<b>as required</b>		<b>mg</b>	<b>C01DA08</b>	<b>Y</b>	<b>SAMF, 2016</b>
sublingual	as required		mg	C01DA52	Y	SAMF, 2016
<b>oral</b>	<b>1</b>	<b>28</b>	<b>50 mg</b>	<b>C07AB03</b>	<b>Y</b>	<b>SAMF</b>
oral	1	28	10 mg	C07AB07	Y	SAMF
oral	2	28	100 mg	C07AB02	Y	SAMF
oral	2	28	200 mg	C07AB04	Y	SAMF
<b>oral</b>	<b>1</b>	<b>28</b>	<b>40 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>Naci H et al. Dose-c</b>
oral	1	28	20 mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	10 mg	C10AA07	Y	Naci H et al. Dose-cc
oral	1	28	80 mg	C10AA03	Y	Naci H et al. Dose-cc
<b>oral</b>	<b>1</b>	<b>28</b>	<b>10 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>Naci H et al. Dose-c</b>
oral	1	28	5 mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	2.5 mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	20 mg	C10AA7	Y	Naci H et al. Dose-cc
<b>oral</b>	<b>1</b>	<b>28</b>	<b>20 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>Naci H et al. Dose-c</b>
oral	1	28	10 mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	5 mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	40 mg	C10AA7	Y	Naci H et al. Dose-cc
<b>oral</b>	<b>2</b>	<b>28</b>	<b>5 mg</b>	<b>C09AA02</b>	<b>Y</b>	<b>Thomas S et al. Wha</b>
<b>oral</b>	<b>2</b>	<b>28</b>	<b>20 mg</b>	<b>C09AA02</b>	<b>Y</b>	<b>Thomas S et al. Wha</b>
oral	2	28	5 mg	C09AA05	Y	Thomas S et al. Wha
oral	2	28	10 mg	C09AA05	Y	Thomas S et al. Wha
oral	3	28	18.75 mg	C09AA01	Y	Thomas S et al. Wha
oral	3	28	150 mg	C09AA01	Y	Thomas S et al. Wha
oral	2	28	5 mg	C09AA06	Y	Thomas S et al. Wha
oral	2	28	40 mg	C09AA06	Y	Thomas S et al. Wha
oral	1	28	2 mg	C09AA04	Y	Thomas S et al. Wha
oral	1	28	4 mg	C09AA04	Y	Thomas S et al. Wha
oral	1	28	2.5 mg	C09AA03	Y	Thomas S et al. Wha
oral	1	28	20 mg	C09AA03	Y	Thomas S et al. Wha
oral	1	28	0.5 mg	C09AA10	Y	Thomas S et al. Wha
oral	1	28	4 mg	C09AA10	Y	Thomas S et al. Wha
<b>oral</b>	<b>1</b>	<b>28</b>	<b>150 mcg</b>	<b>B01AC06</b>	<b>Y</b>	<b>CURRENT-OASIS 7</b>
oral	1	28	100 mcg	B01AC06	Y	CURRENT-OASIS 7
oral	1	28	81 mcg	B01AC06	Y	CURRENT-OASIS 7



sublingual	as required			mg	C01DA08	Y	SAMF, 2016
sublingual	as required			mg	C01DA52	Y	SAMF, 2016
oral	1	28	150	mcg	B01AC06	Y	CURRENT-OASIS 7
oral	1	28	100	mcg	B01AC06	Y	CURRENT-OASIS 7
oral	1	28	81	mcg	B01AC06	Y	CURRENT-OASIS 7
oral	1	28	50	mg	C07AB03	Y	SAMF
oral	1	28	10	mg	C07AB07	Y	SAMF
oral	2	28	100	mg	C07AB02	Y	SAMF
oral	2	28	200	mg	C07AB04	Y	SAMF
oral	1	28	40	mg	C10AA01	Y	Naci H et al. Dose-c
oral	1	28	20	mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	10	mg	C10AA07	Y	Naci H et al. Dose-cc
oral	1	28	80	mg	C10AA03	Y	Naci H et al. Dose-cc
oral	1	28	10	mg	C10AA01	Y	Naci H et al. Dose-c
oral	1	28	5	mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	2.5	mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	20	mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	20	mg	C10AA01	Y	Naci H et al. Dose-c
oral	1	28	10	mg	C10AA05	Y	Naci H et al. Dose-cc
oral	1	28	5	mg	C10AA7	Y	Naci H et al. Dose-cc
oral	1	28	40	mg	C10AA7	Y	Naci H et al. Dose-cc
oral	2	28	5	mg	C09AA02	Y	Thomas S et al. Wha
oral	2	28	20	mg	C09AA02	Y	Thomas S et al. Wha
oral	2	28	5	mg	C09AA05	Y	Thomas S et al. Wha
oral	2	28	10	mg	C09AA05	Y	Thomas S et al. Wha
oral	3	28	18.75	mg	C09AA01	Y	Thomas S et al. Wha
oral	3	28	150	mg	C09AA01	Y	Thomas S et al. Wha
oral	2	28	5	mg	C09AA06	Y	Thomas S et al. Wha
oral	2	28	40	mg	C09AA06	Y	Thomas S et al. Wha
oral	1	28	2	mg	C09AA04	Y	Thomas S et al. Wha
oral	1	28	4	mg	C09AA04	Y	Thomas S et al. Wha
oral	1	28	2.5	mg	C09AA03	Y	Thomas S et al. Wha
oral	1	28	20	mg	C09AA03	Y	Thomas S et al. Wha
oral	1	28	0.5	mg	C09AA10	Y	Thomas S et al. Wha
oral	1	28	4	mg	C09AA10	Y	Thomas S et al. Wha
oral	2	30	5	mg	C09AA02	Y	Thomas S et al. Wha
oral	2	30	20	mg	C09AA02	Y	Thomas S et al. Wha
oral	2	30	5	mg	C09AA05	Y	Thomas S et al. Wha
oral	2	30	10	mg	C09AA05	Y	Thomas S et al. Wha
oral	3	30	18.75	mg	C09AA01	Y	Thomas S et al. Wha
oral	3	30	150	mg	C09AA01	Y	Thomas S et al. Wha
oral	2	30	5	mg	C09AA06	Y	Thomas S et al. Wha
oral	2	30	40	mg	C09AA06	Y	Thomas S et al. Wha
oral	1	30	2	mg	C09AA04	Y	Thomas S et al. Wha
oral	1	30	4	mg	C09AA04	Y	Thomas S et al. Wha
oral	1	30	2.5	mg	C09AA03	Y	Thomas S et al. Wha
oral	1	30	20	mg	C09AA03	Y	Thomas S et al. Wha
oral	1	30	0.5	mg	C09AA10	Y	Thomas S et al. Wha
oral	1	30	4	mg	C09AA10	Y	Thomas S et al. Wha
oral	1	30	5	mg	C08CA01	Y	SAMF

oral		1	30	5 mg	C08CA02	Y		SAMF
oral		1	30	5 mg	C08CA03	Y		SAMF
oral		1	30	30 mg	C08CA05	Y		SAMF
oral		1	30	10 mg	C08CA13	Y		SAMF
<b>oral</b>		<b>1</b>	<b>30</b>	<b>10 mg</b>	<b>C09AA02</b>	<b>Y</b>		<b>SAMF</b>
oral		3	30	75 mg	C09AA01	Y		SAMF
oral		1	30	10 mg	C09AA03	Y		SAMF
oral		1	30	4 mg	C09AA04	Y		SAMF
oral		1	30	2.5 mg	C09AA05	Y		SAMF
oral		1	30	10 mg	C09AA06	Y		SAMF
oral		1	30	10 mg	C09AA07	Y		SAMF
oral		1	30	2 mg	C09AA10	Y		SAMF
oral		1	30	1.25 mg	C09AA08	Y		SAMF
<b>oral</b>		<b>1</b>	<b>30</b>	<b>10 mg</b>	<b>C08CA01</b>	<b>Y</b>		<b>SAMF</b>
oral		1	30	10 mg	C08CA02	Y		SAMF
oral		1	30	10 mg	C08CA03	Y		SAMF
oral		1	30	60 mg	C08CA05	Y		SAMF
oral		1	30	20 mg	C08CA13	Y		SAMF
<b>oral</b>		<b>1</b>	<b>30</b>	<b>20 mg</b>	<b>C09AA02</b>	<b>Y</b>		<b>SAMF</b>
oral		3	30	150 mg	C09AA01	Y		SAMF
oral		1	30	20 mg	C09AA03	Y		SAMF
oral		1	30	8 mg	C09AA04	Y		SAMF
oral		1	30	5 mg	C09AA05	Y		SAMF
oral		1	30	20 mg	C09AA06	Y		SAMF
oral		1	30	20 mg	C09AA07	Y		SAMF
oral		1	30	4 mg	C09AA10	Y		SAMF
oral		1	30	2.5 mg	C09AA08	Y		SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>10 mg/kg/dose</b>	<b>J01FA10</b>	<b>Y</b>		<b>Gerber MA, et al. Pr</b>
oral		2	10	15 mg/kg/dose	J01FA09	Y		Gerber MA, et al. Pre
oral		1	3	500 mg	J01FA10	Y		Gerber MA, et al. Pre
oral		2	10	500 mg	J01FA09	Y		Gerber MA, et al. Pre
<b>oral</b>		<b>1</b>	<b>12</b>	<b>10 mg/kg/dose</b>	<b>J01FA10</b>	<b>Y</b>		<b>Gerber MA, et al. Pr</b>
oral		2	30	15 mg/kg/dose	J01FA09	Y		Gerber MA, et al. Pre
<b>oral</b>		<b>1</b>	<b>30</b>	<b>250 mg</b>	<b>J01FA10</b>	<b>Y</b>		<b>Gerber MA, et al. Pr</b>
oral		2	30	500 mg	J01FA09	Y		Gerber MA, et al. Pre
<b>oral</b>		<b>1</b>	<b>3</b>	<b>10 mg/kg/dose</b>	<b>J01FA10</b>	<b>Y</b>		<b>SAMF</b>
oral		2	7	15 mg/kg/dose	J01FA09	Y		SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>500 mg</b>	<b>J01FA10</b>	<b>Y</b>		<b>SAMF</b>
oral		2	7	1000 mg	J01FA09	Y		SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>10 mg/kg/dose</b>	<b>J01FA10</b>	<b>Y</b>		<b>SAMF</b>
oral		2	7	15 mg/kg/dose	J01FA09	Y		SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>500 mg</b>	<b>J01FA10</b>	<b>Y</b>		<b>SAMF</b>
oral		2	7	1000 mg	J01FA09	Y		SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>10 mg/kg/dose</b>	<b>J01FA10</b>	<b>Y</b>		<b>SAMF</b>
oral		2	7	15 mg/kg/dose	J01FA09	Y		SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>500 mg</b>	<b>J01FA10</b>	<b>Y</b>		<b>SAMF</b>
oral		2	7	1000 mg	J01FA09	Y		SAMF
<b>topical</b>		<b>3</b>	<b>14</b>		<b>D01AC01</b>	<b>Y</b>		<b>SAMF</b>
topical		2	14		D01AC02	Y		SAMF

topical	3	14		D01AC03	Y	SAMF
topical	1	14		D01AC10	Y	SAMF
topical	1	14		D01AC08	Y	SAMF
<b>topical</b>	<b>3</b>	<b>21</b>		<b>D01AC01</b>	<b>Y</b>	<b>SAMF</b>
topical	2	21		D01AC02	Y	SAMF
topical	3	21		D01AC03	Y	SAMF
topical	2	21		D01AC08	Y	SAMF
topical	1	21		D01AC10	Y	SAMF
<b>topical</b>	<b>3</b>	<b>28</b>		<b>D01AC01</b>	<b>Y</b>	<b>SAMF</b>
topical	2	28		D01AC02	Y	SAMF
topical	3	28		D01AC03	Y	SAMF
topical	2	28		D01AC08	Y	SAMF
topical	1	28		D01AC10	Y	SAMF
<b>topical</b>	<b>1</b>	<b>28</b>		<b>D07AC01</b>	<b>Y</b>	<b>Tosti A et al. Topica</b>
topical	1	28		D07AC15	Y	Tosti A et al. Topical
topical	1	28		D07AC04	Y	Tosti A et al. Topical
topical	1	28		D07AC13	Y	Tosti A et al. Topical
topical	1	28		D07AC14	Y	Tosti A et al. Topical
topical	1	28		D07AC17	Y	Tosti A et al. Topical
topical	1	28		D07AC06	Y	Tosti A et al. Topical
<b>topical</b>	<b>1</b>	<b>7</b>		<b>D07AC01</b>	<b>Y</b>	<b>Green C et al. Clinic</b>
topical	1	7		D07AC15	Y	Green C et al. Clinica
topical	1	7		D07AC04	Y	Green C et al. Clinica
topical	1	7		D07AC13	Y	Green C et al. Clinica
topical	1	7		D07AC14	Y	Green C et al. Clinica
topical	1	7		D07AC17	Y	Green C et al. Clinica
topical	1	7		D07AC06	Y	Green C et al. Clinica
<b>oral</b>	<b>1</b>	<b>3</b>	<b>10 mg/kg/dose</b>	<b>J01FA10</b>	<b>Y</b>	<b>SAMF</b>
oral	2	7	15 mg/kg/dose	J01FA09	Y	SAMF
<b>oral</b>	<b>1</b>	<b>3</b>	<b>500 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>SAMF</b>
oral	2	7	1000 mg	J01FA09	Y	SAMF
<b>topical</b>	<b>1</b>	<b>5 to 7</b>		<b>D07AC01</b>	<b>Y</b>	<b>Green C et al. Clinic</b>
topical	1	5 to 7		D07AC15	Y	Green C et al. Clinica
topical	1	5 to 7		D07AC04	Y	Green C et al. Clinica
topical	1	5 to 7		D07AC13	Y	Green C et al. Clinica
topical	1	5 to 7		D07AC14	Y	Green C et al. Clinica
topical	1	5 to 7		D07AC17	Y	Green C et al. Clinica
topical	1	5 to 7		D07AC06	Y	Green C et al. Clinica
<b>topical</b>	<b>3</b>	<b>5 to 7</b>		<b>D01AC01</b>	<b>Y</b>	<b>Bonifaz A et al. Sup</b>
topical	2	5 to 7		D01AC02	Y	Bonifaz A et al. Supe
topical	3	5 to 7		D01AC03	Y	Bonifaz A et al. Supe
topical	2	5 to 7		D01AC08	Y	Bonifaz A et al. Supe
topical	1	5 to 7		D01AC10	Y	Bonifaz A et al. Supe
<b>oral</b>	<b>2</b>	<b>28</b>	<b>800 mg</b>	<b>J05AB01</b>	<b>Y</b>	<b>Le Cleach L, Trinqu</b>
oral	2	28	500 mg	J05AB09	Y	Le Cleach L, Trinqu
oral	1	28	1000 mg	J05AB11	Y	Le Cleach L, Trinqu
<b>oral</b>	<b>1</b>	<b>3</b>	<b>500 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>SAMF</b>
oral	2	7	1000 mg	J01FA09	Y	SAMF
<b>oral</b>	<b>1</b>	<b>28</b>	<b>0.5/1 mg</b>	<b>G03FA01</b>	<b>Y</b>	<b>SAMF</b>

oral		1	28	2.5/0.625 mg	G03FA12	Y	SAMF
oral		1	28	1.5/0.3 mg	G03FA12	Y	SAMF
<b>oral</b>		<b>1</b>	<b>28</b>	<b>1/2 mg</b>	<b>G03FA01</b>	<b>Y</b>	<b>SAMF</b>
oral		1	28	2.5/0.625 mg	G03FA12	Y	SAMF
<b>oral</b>			<b>28</b>	<b>1/2 mg</b>	<b>G03HB01</b>	<b>Y</b>	<b>SAMF</b>
oral			28	5/0.625 mg	G03FB06	Y	SAMF
<b>subdermal implant</b>							
			<b>3yrs</b>		<b>G03AC08</b>	<b>Y</b>	<b>SAMF</b>
subdermal implant			5yrs		G03AC03	Y	SAMF
<b>IUCD</b>			<b>5yrs</b>		<b>G02BA03</b>	<b>Y</b>	<b>NDoH, EDP: PHC M</b>
IUCD			5yrs		G02BA03	Y	NDoH, EDP: PHC-Ad
<b>parenteral</b>			<b>90</b>		<b>G03AC06</b>	<b>Y</b>	<b>SAMF</b>
parenteral			60		G03AC01	Y	SAMF
<b>oral</b>	<b>1</b>	<b>28</b>		<b>30 mcg</b>	<b>G03AC03</b>	<b>Y</b>	<b>Tepper NK et al, Pr</b>
oral	1	28		350 mcg	G03AC01	Y	Tepper NK et al, Pro
<b>oral</b>	<b>1</b>	<b>28</b>		<b>30/150 mcg</b>	<b>G03AA07</b>	<b>Y</b>	<b>Vinogradova Y et al</b>
oral	1	28		75/30 mcg	G03AA10	Y	Vinogradova Y et al.
oral	1	28		30/150 mcg	G03AA09	Y	Vinogradova Y et al.
oral	1	28		3/30 mcg	G03AA12	Y	Vinogradova Y et al.
<b>oral</b>	<b>1</b>	<b>28</b>		<b>mcg</b>	<b>G03AB03</b>	<b>Y</b>	<b>Vinogradova Y et al</b>
oral	1	28		mcg	G03AB04	Y	Vinogradova Y et al.
oral	1	28		mcg	G03AB	Y	Vinogradova Y et al.
oral	1	28		mcg	G03AB06	Y	Vinogradova Y et al.
<b>oral</b>		<b>14</b>		<b>30/150 mcg</b>	<b>G03AA07</b>	<b>Y</b>	<b>Vinogradova Y et al</b>
oral	1	14		75/30 mcg	G03AA10	Y	Vinogradova Y et al.
oral	1	14		30/150 mcg	G03AA09	Y	Vinogradova Y et al.
oral	1	14		3/30 mcg	G03AA12	Y	Vinogradova Y et al.
<b>oral</b>	<b>1</b>	<b>28</b>		<b>2/35 mcg</b>	<b>G03HB01</b>	<b>Y</b>	<b>Vinogradova Y et al</b>
<b>oral</b>							
<b>oral</b>	<b>1</b>	<b>30</b>		<b>10 mg</b>	<b>C09AA02</b>	<b>Y</b>	<b>Kidney Disease Out</b>
<b>oral</b>	<b>1</b>	<b>30</b>		<b>40 mg</b>	<b>C09AA02</b>	<b>Y</b>	<b>Kidney Disease Out</b>
oral	1	30		25 mg	C09AA01	Y	Kidney Disease Outc
oral	1	30		150 mg	C09AA01	Y	Kidney Disease Outc
oral	1	30		20 mg	C09AA03	Y	Kidney Disease Outc
oral	1	30		40 mg	C09AA03	Y	Kidney Disease Outc
oral	1	30		4 mg	C09AA04	Y	Kidney Disease Outc
oral	1	30		8 mg	C09AA04	Y	Kidney Disease Outc
oral	1	30		2.5 mg	C09AA05	Y	Kidney Disease Outc
oral	1	30		20 mg	C09AA05	Y	Kidney Disease Outc
oral	1	30		20 mg	C09AA06	Y	Kidney Disease Outc
oral	1	30		80 mg	C09AA06	Y	Kidney Disease Outc
oral	1	30		20 mg	C09AA07	Y	Kidney Disease Outc
oral	1	30		40 mg	C09AA07	Y	Kidney Disease Outc
oral	1	30		2 mg	C09AA10	Y	Kidney Disease Outc
oral	1	30		4 mg	C09AA10	Y	Kidney Disease Outc
<b>oral</b>	<b>1</b>	<b>1</b>		<b>1000 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>Workowski KA et al; C</b>
oral	2	1.5		1500 mg	J01FA09	Y	Perletti G et al. Macr
<b>oral</b>							
<b>oral</b>	<b>1</b>	<b>30</b>		<b>2.5 mg</b>	<b>A10BB01</b>	<b>Y</b>	<b>2014 medicine review</b>
<b>oral</b>	<b>1</b>	<b>30</b>		<b>15 mg</b>	<b>A10BB01</b>	<b>Y</b>	<b>2014 medicine review</b>

oral		2	30	160 mg	A10BB09	Y	2014 medicine review
oral		2	30	320 mg	A10BB09	Y	2014 medicine review
<b>oral</b>		<b>1</b>	<b>30</b>	<b>10 mg</b>	<b>C09AA02</b>	<b>Y</b>	<b>Kidney Disease Out</b>
<b>oral</b>		<b>1</b>	<b>30</b>	<b>40 mg</b>	<b>C09AA02</b>	<b>Y</b>	<b>Kidney Disease Out</b>
oral		1	30	25 mg	C09AA01	Y	Kidney Disease Outc
oral		1	30	150 mg	C09AA01	Y	Kidney Disease Outc
oral		1	30	20 mg	C09AA03	Y	Kidney Disease Outc
oral		1	30	40 mg	C09AA03	Y	Kidney Disease Outc
oral		1	30	4 mg	C09AA04	Y	Kidney Disease Outc
oral		1	30	8 mg	C09AA04	Y	Kidney Disease Outc
oral		1	30	2.5 mg	C09AA05	Y	Kidney Disease Outc
oral		1	30	20 mg	C09AA05	Y	Kidney Disease Outc
oral		1	30	20 mg	C09AA06	Y	Kidney Disease Outc
oral		1	30	80 mg	C09AA06	Y	Kidney Disease Outc
oral		1	30	20 mg	C09AA07	Y	Kidney Disease Outc
oral		1	30	40 mg	C09AA07	Y	Kidney Disease Outc
oral		1	30	2 mg	C09AA10	Y	Kidney Disease Outc
oral		1	30	4 mg	C09AA10	Y	Kidney Disease Outc
<b>oral</b>		<b>1</b>	<b>30</b>	<b>10 mg</b>	<b>C10AA01</b>	<b>Y</b>	<b>McDonagh MS et al</b>
oral		1	30	5 mg	C10AA05	Y	McDonagh MS et al.
oral		1	30	2.5 mg	C10AA07	Y	McDonagh MS et al.
oral		1	30	20 mg	C10AA03	Y	McDonagh MS et al.
<b>oral</b>		<b>4</b>	<b>7</b>	<b>3200 mg</b>	<b>J05AB01</b>	<b>Y</b>	<b>Tunbridge AJ et al;</b>
oral		3	7	3000 mg	J05AB11	Y	Tunbridge AJ et al; B
oral		3	7	750 mg	J05AB09	Y	Tunbridge AJ et al; B
<b>oral</b>		<b>1</b>	<b>3</b>	<b>10 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>SAMF</b>
oral		2	7	15 mg	J01FA09	Y	SAMF
<b>oral</b>		<b>1</b>	<b>3</b>	<b>500 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>SAMF</b>
oral		2	7	1000 mg	J01FA09	Y	SAMF
<b>oral</b>		<b>5</b>	<b>7</b>	<b>4000 mg</b>	<b>J05AB01</b>	<b>Y</b>	<b>McDonagh MS et al</b>
oral		3	7	3000 mg	J05AB11	Y	McDonagh MS et al.
oral		3	7	750 mg	J05AB09	Y	McDonagh MS et al.
<b>oral</b>		<b>5</b>	<b>7</b>	<b>2000 mg</b>	<b>J05AB01</b>	<b>Y</b>	<b>McDonagh MS et al</b>
oral		3	7	1500 mg	J05AB11	Y	McDonagh MS et al.
oral		3	7	375 mg	J05AB09	Y	McDonagh MS et al.
<b>oral</b>		<b>5</b>	<b>7</b>	<b>4000 mg</b>	<b>J05AB01</b>	<b>Y</b>	<b>McDonagh MS et al</b>
oral		3	7	3000 mg	J05AB11	Y	McDonagh MS et al.
oral		3	7	750 mg	J05AB09	Y	McDonagh MS et al.
<b>oral</b>		<b>3</b>	<b>2</b>	<b>1200 mg</b>	<b>M01AE01</b>	<b>Y</b>	<b>Coxib and tradition:</b>
oral		3	30	150 mg	M01AE01	Y	Coxib and traditional
oral		3		1500 mg	M01AE02	Y	Coxib and traditional
<b>oral</b>		<b>1</b>	<b>14</b>	<b>30 mg</b>	<b>A02BC03</b>	<b>Y</b>	<b>McDonagh MS et al</b>
oral		1	14	20 mg	A02BC01	Y	McDonagh MS et al.
oral		1	14	20 mg	A02BC04	Y	McDonagh MS et al.
oral		1	14	40 mg	A02BC02	Y	McDonagh MS et al.
<b>oral</b>		<b>1</b>	<b>14</b>	<b>7.5 mg</b>	<b>H02AB07</b>	<b>Y</b>	<b>SAMF</b>
oral		1	14	7.5 mg	H02AB06	Y	SAMF

oral	3	2	1200 mg	M01AE01	Y	Coxib and tradition:
oral	3	30	150 mg	M01AE01	Y	Coxib and traditional
oral	3		1500 mg	M01AE02	Y	Coxib and traditional
oral	1	5	40 mg	H02AB07	Y	SAMF
oral	1	5	40 mg	H02AB06	Y	SAMF
oral	3	30	1200 mg	M01AE01	Y	Coxib and tradition:
oral	3	30	150 mg	M01AC06	Y	Coxib and traditional
oral	3	30	1500 mg	M01AE02	Y	Coxib and traditional
oral	1	14	30 mg	A02BC03	Y	McDonagh MS et al
oral	1	14	20 mg	A02BC01	Y	McDonagh MS et al.
oral	1	14	20 mg	A02BC04	Y	McDonagh MS et al.
oral	1	14	40 mg	A02BC02	Y	McDonagh MS et al.

oral - immediate release	2	28	600-1200 mg	N03AF01	Y	Powell G, Saunders
oral - modified release	2	28	600-1200 mg	N03AF01	Y	Powell G, Saunders
oral	1	stat	5 mg	N05BA01	Y	SAMF
buccal	1	stat	7.5 to 15 mg	N05CD08	Y	SAMF
oral	1	stat	2.5 mg	N05BA06	y	Greenblatt DJ et al. B
parenteral	1	stat	7.5 to 15 mg	N05CD08	y	SAMF
parenteral	1	stat	2 mg	N05BA06	y	SAMF
parenteral	1	stat	0.1 to 0.15 mg/kg/dose	N05CD08	Y	SAMF
parenteral	1	stat	0.05 to 0.1 mg/kg/dose	N05BA06	Y	SAMF
oral	1	28	10 to 20 mg	N06AB04	Y	Cipriani A et al. Cor
oral	1	28	5 to 10 mg	N06AB10	Y	Cipriani A et al. Com
oral	1	28	50 to 100 mg	N06AB06	Y	Cipriani A et al. Com
oral	1	10	2.5 to 5 mg	N05BA01	Y	SAMF
oral	3	10	3 mg	N05BA06	Y	Greenblatt DJ et al. B
oral	3	10	1.5 mg	N05BA12	Y	SAMF
oral	1	28	10 to 20 mg	N06AB04	Y	Baldwin D et al. Effic
oral	1	28	5 to 10 mg	N06AB10	Y	Baldwin D et al. Effic
oral	1	28	50 to 100 mg	N06AB06	Y	Baldwin D et al. Effic
oral	1 to 2	5 to 7	10 mg	N05BA01	Y	SAMF
oral	2	5 to 7	4 mg	N05BA06	Y	SAMF
oral	1	stat	5 mg	N05BA01	Y	SAMF
buccal	1	stat	7.5 to 15 mg	N05CD08	Y	SAMF
oral	1	stat	2.5 mg	N05BA06	y	Greenblatt DJ et al. B
parenteral	1	stat	7.5 to 15 mg	N05CD08	y	SAMF
parenteral	1	stat	2 mg	N05BA06	y	SAMF
oral	1	14	7.5 mg	H02AB07	Y	SAMF
oral	1	14	7.5 mg	H02AB06	Y	SAMF
oral	1	8	1 to 2 mg/kg/dose	H02AB05	Y	SAMF
oral	1	8	1 to 2 mg/kg/dose	H02AB04	Y	SAMF

<b>oral</b>	<b>1</b>	<b>8</b>	<b>1 to 2</b>	<b>mg/kg/dose</b>	<b>H02AB03</b>	<b>Y</b>	<b>SAMF</b>
oral	1	8	1 to 2	mg/kg/dose	H02AB02	Y	SAMF
<b>inhaler</b>	<b>4</b>	<b>30</b>	<b>400 to 800</b>	<b>mcg</b>	<b>R03AC02</b>	<b>Y</b>	<b>SAMF</b>
inhaler	4	30	400 to 800	mcg	R03AC04	Y	SAMF
inhaler	4	30	2	mg	R03AC03	Y	SAMF
<b>inhaler</b>	<b>4</b>	<b>30</b>	<b>400 to 800</b>	<b>mcg</b>	<b>R03AC02</b>	<b>Y</b>	<b>SAMF</b>
inhaler	4	30	400 to 800	mcg	R03AC04	Y	SAMF
inhaler	4	30	2	mcg	R03AC03	Y	SAMF
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>200</b>	<b>mcg</b>	<b>R03BA01</b>	<b>Y</b>	<b>SAMF, 2016</b>
inhaler	2	30	200	mcg	R03BA02	Y	SAMF, 2016
inhaler	2	30	100	mcg	R03BA05	Y	SAMF, 2016
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>400</b>	<b>mcg</b>	<b>R03BA01</b>	<b>Y</b>	<b>SAMF, 2016</b>
inhaler	2	30	400	mcg	R03BA02	Y	SAMF, 2016
inhaler	2	30	250	mcg	R03BA05	Y	SAMF, 2016
inhaler	2	30	160	mcg	R03BA08	Y	SAMF, 2016
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>400</b>	<b>mcg</b>	<b>R03BA01</b>	<b>Y</b>	<b>SAMF, 2016</b>
inhaler	2	30	400	mcg	R03BA02	Y	SAMF, 2016
inhaler	2	30	250	mcg	R03BA05	Y	SAMF, 2016
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>800</b>	<b>mcg</b>	<b>R03BA01</b>	<b>Y</b>	<b>SAMF, 2016</b>
inhaler	2	30	800	mcg	R03BA02	Y	SAMF, 2016
inhaler	2	30	500	mcg	R03BA05	Y	SAMF, 2016
inhaler	2	30	320	mcg	R03BA08	Y	SAMF, 2016
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>500/100</b>	<b>mcg</b>	<b>R03AK06</b>	<b>Y</b>	<b>SAMF, 2016</b>
inhaler	2	30	640/18	mcg	R03AK07	Y	SAMF, 2016
<b>inhaler</b>	<b>4</b>	<b>30</b>	<b>400 to 800</b>	<b>mcg</b>	<b>R03AC02</b>	<b>Y</b>	<b>SAMF</b>
inhaler	4	30	400 to 800	mcg	R03AC04	Y	SAMF
inhaler	4	30	2	mg	R03AC03	Y	SAMF
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>24</b>	<b>mcg</b>	<b>R03AC13</b>	<b>Y</b>	<b>SAMF</b>
inhaler	2	30	100	mcg	R03AC12	Y	SAMF
inhaler	1	30	150	mcg	R03AC18	Y	SAMF
<b>inhaler</b>	<b>2</b>	<b>30</b>	<b>500/100</b>	<b>mcg</b>	<b>R03AK06</b>	<b>Y</b>	<b>SAMF, 2016</b>
inhaler	2	30	640/18	mcg	R03AK07	Y	SAMF, 2016
<b>oral</b>	<b>1</b>	<b>8</b>	<b>1 to 2</b>	<b>mg/kg/dose</b>	<b>H02AB05</b>	<b>Y</b>	<b>SAMF</b>
oral	1	8	1 to 2	mg/kg/dose	H02AB04	Y	SAMF
<b>oral</b>	<b>1</b>	<b>3</b>	<b>mg</b>		<b>J01FA10</b>	<b>Y</b>	<b>SAMF</b>
oral	2	7	mg		J01FA09	Y	SAMF
<b>eye drops</b>	<b>4</b>	<b>30</b>	<b>4</b>	<b>drops</b>	<b>S01GX01</b>	<b>Y</b>	<b>Castillo M et al. Coc</b>
eye drops	4	30	4	drops	S01GX05	Y	Castillo M et al. Cocf
eye drops	2	30	2	drops	S01GX09	Y	Castillo M et al. Cocf
eye drops	2	30	2	drops	S01GX10	Y	Castillo M et al. Cocf
eye drops	2	30	2	drops	S01GX08	Y	Castillo M et al. Cocf
eye drops	2	30	2	drops	S01GX07	Y	Castillo M et al. Cocf
<b>nasal spray</b>	<b>2</b>	<b>30</b>	<b>200</b>	<b>mcg</b>	<b>R01AD08</b>	<b>Y</b>	<b>Chong LY et al. Diffe</b>
nasal spray	2	30	200	mcg	R01AD05	Y	Chong LY et al. Diffe
nasal spray	2	30	200	mcg	R01AD01	Y	Chong LY et al. Diffe
nasal spray	1	30	100	mcg	R01AD13	Y	Chong LY et al. Diffe
nasal spray	2	30	100	mcg	R01AD09	Y	Chong LY et al. Diffe
nasal spray	1	30	55	mcg	R01AD11	Y	Chong LY et al. Diffe

oral	1	30	10 mg	R06AE07	Y	NDoH, Affordable M
oral	1	30	120 mg	R06AX26	Y	NDoH, Affordable Me
oral	1	3	10 mg	J01FA10	Y	SAMF
oral	2	7	15 mg	J01FA09	Y	SAMF
oral	1	3	500 mg	J01FA10	Y	SAMF
oral	2	7	1000 mg	J01FA09	Y	SAMF
oral	1	3	10 mg	J01FA10	Y	SAMF
oral	2	7	15 mg	J01FA09	Y	SAMF
oral	1	3	500 mg	J01FA10	Y	SAMF
oral	2	7	1000 mg	J01FA09	Y	SAMF
oral	1	3	10 mg	J01FA10	Y	SAMF
oral	2	7	15 mg	J01FA09	Y	SAMF
oral	1	3	500 mg	J01FA10	Y	SAMF
oral	2	7	1000 mg	J01FA09	Y	SAMF
oral	1	3	10 mg	J01FA10	Y	SAMF
oral	2	7	15 mg	J01FA09	Y	SAMF
oral	1	3	500 mg	J01FA10	Y	SAMF
oral	2	7	1000 mg	J01FA09	Y	SAMF

oral	3	2	1200 mg	M01AE01	Y	Coxib and tradition
oral	3	30	150 mg	M01AE01	Y	Coxib and traditional
oral	3		1500 mg	M01AE02	Y	Coxib and traditional
oral	3	2	1200 mg	M01AE01	Y	Coxib and tradition
oral	3	30	150 mg	M01AE01	Y	Coxib and traditional
oral	3		1500 mg	M01AE02	Y	Coxib and traditional
oral	3	2	1200 mg	M01AE01	Y	Coxib and tradition
oral	3	30	150 mg	M01AE01	Y	Coxib and traditional
oral	3		1500 mg	M01AE02	Y	Coxib and traditional
oral	3	2	1200 mg	M01AE01	Y	Coxib and tradition
oral	3	30	150 mg	M01AE01	Y	Coxib and traditional
oral	3		1500 mg	M01AE02	Y	Coxib and traditional
oral	1	stat	10 mg	C09AA02	Y	SAMF
oral	1	stat	25 mg	C09AA01	Y	SAMF
oral	1	stat	10 mg	C09AA03	Y	SAMF
oral	1	stat	4 mg	C09AA04	Y	SAMF
oral	1	stat	2.5 mg	C09AA05	Y	SAMF
oral	1	stat	10 mg	C09AA06	Y	SAMF
oral	1	stat	10 mg	C09AA07	Y	SAMF
oral	1	stat	2 mg	C09AA10	Y	SAMF
oral	1	stat	1.25 mg	C09AA08	Y	SAMF
oral	1	3	mg	J01FA10	Y	SAMF
oral	2	7	mg	J01FA09	Y	SAMF
oral	1	3	500 mg	J01FA10	Y	SAMF
oral	2	7	1000 mg	J01FA09	Y	SAMF
oral	1	3	mg	J01FA10	Y	SAMF
oral	2	7	mg	J01FA09	Y	SAMF
oral	1	3	500 mg	J01FA10	Y	SAMF
oral	2	7	1000 mg	J01FA09	Y	SAMF
oral	3	2	1200 mg	M01AE01	Y	Coxib and tradition



oral	3	30	150 mg	M01AE01	Y	Coxib and traditional
oral	3		1500 mg	M01AE02	Y	Coxib and traditional
<b>oral</b>	<b>1</b>	<b>stat</b>	<b>20 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>Workowski KA et al;</b>
oral	1	stat	15 mg	J01FA10	Y	Workowski KA et al; C
<b>oral</b>	<b>1</b>	<b>stat</b>	<b>1000 mg</b>	<b>J01FA10</b>	<b>Y</b>	<b>Workowski KA et al;</b>
oral	1	stat	1000 mg	J01FA10	Y	Workowski KA et al; C
<b>oral</b>	<b>1</b>	<b>28</b>	<b>10 to 20 mg</b>	<b>N06AB04</b>	<b>Y</b>	<b>Cipriani A et al. Cor</b>
oral	1	28	5 to 10 mg	N06AB10	Y	Cipriani A et al. Com
oral	1	28	50 to 100 mg	N06AB06	Y	Cipriani A et al. Com
<b>oral</b>	<b>1</b>	<b>10</b>	<b>2.5 to 5 mg</b>	<b>N05BA01</b>	<b>Y</b>	<b>SAMF</b>
oral	3	10	3 mg	N05BA06	Y	Greenblatt DJ et al. B
oral	3	10	1.5 mg	N05BA12	Y	SAMF
<b>oral</b>	<b>1</b>	<b>28</b>	<b>10 to 20 mg</b>	<b>N06AB04</b>	<b>Y</b>	<b>Cipriani A et al. Cor</b>
oral	1	28	5 to 10 mg	N06AB10	Y	Cipriani A et al. Com
oral	1	28	50 to 100 mg	N06AB06	Y	Cipriani A et al. Com













: gliclazide vs glibencl	Essential	Nurse prescriber	2 Adults
: gliclazide vs glibencl	Essential	Nurse prescriber	2 Adults
<b>comes Quality Initia</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
<b>comes Quality Initia</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
comes Quality Initiative	Essential	Nurse prescriber	3 Adults
<b>NICE. Clinical guide</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
<b>British Infection Soc</b>	<b>Essential</b>	<b>Doctor prescribed</b>	<b>3 Adults</b>
ritish Infection Society	Essential	Nurse prescriber	3 Adults
ritish Infection Society	Essential	Nurse prescriber	3 Adults
<b>; 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Children</b>
; 2016	Essential	Nurse prescriber	3 Children
<b>; 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
; 2016	Essential	Nurse prescriber	3 Adults
<b>NICE. Clinical guide</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
<b>NICE. Clinical guide</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
<b>NICE. Clinical guide</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	1 Adults
<b>SAMF, 2016</b>	<b>Essential</b>	<b>Doctor initiated/doct</b>	<b>1 Adults</b>
SAMF, 2016	Essential	Doctor initiated/doctor	1 Adults
SAMF, 2016	Essential	Doctor initiated/doctor	1 Adults
<b>NICE. Clinical guide</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>2 Adults</b>
NICE. Clinical guideli	Essential	Nurse prescriber	2 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	2 Adults
NICE. Clinical guideli	Essential	Nurse prescriber	2 Adults
<b>; 2016</b>	<b>Essential</b>	<b>Doctor prescribed</b>	<b>3 Adults</b>
; 2016	Essential	Doctor prescribed	3 Adults



<b>SAMF, 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
SAMF, 2016	Essential	Nurse prescriber	1 Adults
SAMF, 2016	Essential	Nurse prescriber	1 Adults
<b>2016</b>	<b>Essential</b>	<b>Doctor prescribed</b>	<b>3 Adults</b>
2016	Essential	Doctor prescribed	3 Adults
<b>SAMF, 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
SAMF, 2016	Essential	Nurse prescriber	1 Adults
SAMF, 2016	Essential	Nurse prescriber	1 Adults
<b>NICE. Clinical guideline</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>2 Adults</b>
NICE. Clinical guideline	Essential	Nurse prescriber	2 Adults
NICE. Clinical guideline	Essential	Nurse prescriber	2 Adults
NICE. Clinical guideline	Essential	Nurse prescriber	2 Adults

<b>SAMF, 2016</b>	<b>Essential</b>	<b>Doctor initiated</b>	<b>3 Adults</b>
SAMF, 2016	Essential	Doctor initiated	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
2016	Essential	Nurse prescriber	3 Adults
benzodiazepine hypno	Essential	Nurse prescriber	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
2016	Essential	Nurse prescriber	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Doctor initiated</b>	<b>3 Children</b>
2016	Essential	Doctor initiated	3 Children
<b>SAMF, 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
SAMF, 2016	Essential	Nurse prescriber	1 Adults
SAMF, 2016	Essential	Nurse prescriber	1 Adults
<b>2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
benzodiazepine hypno	Essential	Nurse prescriber	3 Adults
2016	Essential	Nurse prescriber	3 Adults
<b>SAMF, 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
SAMF, 2016		Nurse prescriber	1 Adults
SAMF, 2016		Nurse prescriber	1 Adults
<b>2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
2016	Essential	Nurse prescriber	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
2016	Essential	Nurse prescriber	3 Adults
benzodiazepine hypno	Essential	Nurse prescriber	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
2016	Essential	Nurse prescriber	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Doctor prescribed</b>	<b>3 Adults</b>
2016	Essential	Doctor prescribed	3 Adults
<b>2016</b>	<b>Essential</b>	<b>Doctor prescribed</b>	<b>3 Children</b>
2016	Essential	Doctor prescribed	3 Children





SAMF, 2016	Essential	Doctor initiated/doctor	1 Adults
SAMF, 2016	Essential	Doctor initiated/doctor	1 Adults
<b>; Centers for Disease</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Children</b>
Centers for Disease C	Essential	Nurse prescriber	3 Children
<b>; Centers for Disease</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Children</b>
Centers for Disease C	Essential	Nurse prescriber	3 Children
<b>SAMF, 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
SAMF, 2016	Essential	Nurse prescriber	1 Adults
SAMF, 2016	Essential	Nurse prescriber	1 Adults
<b>; 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>3 Adults</b>
benzodiazepine hypno	Essential	Nurse prescriber	3 Adults
; 2016	Essential	Nurse prescriber	3 Adults
<b>SAMF, 2016</b>	<b>Essential</b>	<b>Nurse prescriber</b>	<b>1 Adults</b>
SAMF, 2016	Essential	Nurse prescriber	1 Adults
SAMF, 2016	Essential	Nurse prescriber	1 Adults

COMMENTS

See PHC medicine review: Cardiotoxicity of azithromycin, 2014  
See PHC medicine review: Cardiotoxicity of azithromycin, 2014  
See PHC medicine review: Cardiotoxicity of azithromycin, 2014  
See PHC medicine review: Cardiotoxicity of azithromycin, 2014

See Adult Hospital Level medicine review: PPI - therapeutic class review, 2018  
See Adult Hospital Level medicine review: PPI - therapeutic class review, 2018  
See Adult Hospital Level medicine review: PPI - therapeutic class review, 2018  
See Adult Hospital Level medicine review: PPI - therapeutic class review, 2018

**See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018**  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
**See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018**  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
**See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018**  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018  
See PHC cost-effectiveness analysis of high, intermediate and low dose statins for the secondary prevention of cardiovascular disease, 2018





















See Adult Hospital Level medicine review: NSAIDs therapeutic review, 2018

See Adult Hospital Level medicine review: NSAIDs therapeutic review, 2018

See PHC medicine review: Cardiotoxicity of azithromycin, 2014

See PHC medicine review: Cardiotoxicity of azithromycin, 2014

See PHC medicine review: Cardiotoxicity of azithromycin, 2014

See PHC medicine review: Cardiotoxicity of azithromycin, 2014